ANNUAL INDEX

Volume 73
1996

Subject

A

4,4-Dimethyloxazoline Derivatives, Mass Spectra of
  acetylenic fatty acids, 489
  4,4-dimethyloxazoline derivatives, 489
  GC/MS, 489
  hydroxy fatty acids, 489
α-Linolenic Acid, Isomerization of During Heating
  geometrical isomerization, 327
  heat treatment, 327
  α-linolenic acid, 327
  octadecadienoic acids, 327
  trans fatty acids, 327
α-Parinaric Acid, Identification in Seed Oil from Euphorbiaceae
  Euphorbiaceae, 569
  NMR spectroscopy, 569
  α-parinaric acid, 569
  Sebastiana brasiliensis
Acacia Seed Oils, Characteristics and Composition
  Acacia holosericea, 803
  aril, 803
  fatty acid methyl esters (FAME), 803
  Junior laboratory mill, 803
  nondrying oil, 803
  oxirane oxygen (epoxy group), 803
  semi-drying oils, 803
  single-pair roller reduction mill, 803
  Soxhlet extractor, 803
  miscella, 803
Acid Values, Determination Without Titration by pH-Metric
  acid value, 295
  conditional pH, 295
  isopropanol, 295
  pH-metry, 295
  titration, 295
  triethanolamine, 295
  vegetable oils, 295
Acid Values, Rapid and Complete Extraction from Oil Seeds
  acid value, 1707
  extraction, 1707
  free fatty acids, 1707
  heptane, 1707
  isopropanol, 1707
  oilseeds, 1707
  set of reagents, 1707
  triethanolamine, 1707
Amaranthus Species, Composition of Seed and Oils from Eight Species
  amaranth, 475
  fatty acid, 475
  β-glucan, 475
  tocopherol, 475
  tocotrienol, 475
  trypsin inhibitor, 475
Anisidine Values, Use of FTIR in Heat-Stressed Oils
  aldehydes, 787
  anisidine value, 787
  fats and oils, 787
  FTIR spectroscopy, 787
Antioxidant, Assessment of and Potential Prooxidant Actions
  antioxidants, 1617
  DNA damage, 1617
  flavonoids, 1617
  free radicals, 1617
  lipid peroxidation, 1617
  oxidative stress, 1617
  prooxidants, 1617
  vanillin, 1617
  vitamin C, 1617
  vitamin E, 1617
Antioxidant Activity, from Aquatic Species
  antioxidant and prooxidant activity, 1197
  capelin, 1197
  hydrolysates, 1197
  peptides, 1197
  seal, 1197
  TLC, 1197
Antioxidants from Rosemary, Activity of Phenolic Diterpenes
  antioxidant, 507
  carnosic acid, 507
  carnosol, 507
  diterpene, 507
  HPLC, 507
  NMR, 507
  rancidity, 507
  Rancimat, 507
  rosemary, 507
  soybean oil, 507
Antioxidants, Kinetics of Crocin Bleaching Inhibition
  antioxidant, 173
  crocin, 173
  diazo compounds, 173
  Maillard reaction, 173
  olive oil, 173
  peroxyl radicals, 173
  rosemary, 173
Antioxidative Activity, from Sage and Rosemary Prepared in Pilot-Plant
  antioxidant, 645
  antioxidative activity, 645
  HPLC–MS, 645
  phenolic compounds, 645
  rosemary, 645
  sage, 645
Avocado Oil, Method for Detection of in Admixtures
  avocado seed oil, 665
  thin-layer chromatography, 665
  unsaponifiables, 665

Copyright © 1996 by AOCS Press

B

Biodiesel Fuel, Winterization of Methyl Soyate to Reduce Crystallization Temperature
biodiesel, 631
crystallization, 631
differential scanning calorimetry, 631
low-palmitate soybean oil, 631
methyl soyate, 631
soydiesel, 631
winterization, 631
Biodiesel Fuels, by Lipases
alcoholysis, 1191
alkyl esters, 1191
biodiesel, 1191
grease, 1191
lipase, 1191
rapeseed, 1191
soy oil, 1191
tallow, 1191
Biodiesel Fuels, Testing of Soy Esters in Engines
diesel, 381
diesel exhaust, 381
emissions, 381
methyl esters, 381
soy oil, 381
vegetable oil, 381
Biotransformation of Saturated Monohydroxyl Fatty Acids
Bacillus lentus, 1465
5-*n*-hexyl-tetrahydrofuran-2-acetic acid, 1465
12-hydroxyoctadecanoic acid, 1465
Brassica napus, Oil Bodies as a Source of Immobilized β-Glucuronidase
β-glucuronidase, 1533
immobilized enzyme, 1533
oil body, 1533
oleosin, 1533
transgenic plants, 1533
Butterfat—Microstructure and Polymorphism of
confocal laser scanning microscopy, 973
polarized light microscopy, 973
scanning electron microscopy, 973
X-ray diffraction, 973
Butterfat, Restructuring Through Interesterification in and Blending
blend, 963
butterfat, 963
chemical interesterification, 963
differential scanning calorimetry (DSC), 963
entropy, 963
gas–liquid chromatography (GLC), 963
nuclear magnetic resonance (NMR), 963
solubility, 963
triacylglycerol, 963
Butterfat, Rheology of
cone penetrometry, 983
dropping point, 983
hardness index, 983
viscoelasticity, 983
viscosity, 983

C

Canola and Sunflower Oil Sediments, Composition and Properties
canola oil, 493
canola seed hull lipids, 493
composition, 493
DSC, 493
phase transitions, 493
sediment, 493
sunflower oil, 493
waxes, 493
X-ray diffraction, 493
Canola Oil–Acetone Mixture, Effects of Solvent Content on Phase Behavior
acetone/oil solution, 1137
canola oil sediment, 1137
crystallization, 1137
density, 1137
melting, 1137
modeling, 1137
temperature effect, 1137
viscosity, 1137
Canola Oil, Antioxidative Propeties of Tea Extracts
antioxidants, 375
black teas, 375
canola oil, 375
dark-green teas, 375
ginseng teas, 375
green teas, 375
oolong teas, 375
tea, 375
Canola Oil, Consumer Acceptance of
canola oil, 1153
consumer, 1153
low-linolenic canola oil, 1153
sensory, 1153
shelf life, 1153
stability, 1153
storage, 1153
volatiles, 1153
Canola Oil, Turbidity Measurements of Haze in
acetone–canola oil solution, 1557
lecithin effect, 1557
sediment content, 1557
turbidity measurement, 1557
Carrot Seed Oil, ^{13}C NMR Analysis of
Biota orientalis seed oil, 557
carrot seed oil, 557
^{13}C NMR, 557
5,11,14,17-eicosatetraenoic acid, 557
5,11,14-eicosatrienoic acid, 557
fatty acid composition, 557
petroselinic acid, 557
triacylglycerol, 557
triglyceride, 557
Castor Oil, A Simple Polarimetric Method for Quantitative of
castor oil, 397
edible oil adulteration, 397
optical rotation, 397
polarimetry, 397
cis-trans Isomers, Analysis of by Capillary Gas–Liquid Chromatography
capillary GLC, 275
cis-trans, 275
deodorized oils, 275
fatty acid methyl esters, 275
geometrical isomers, 275
hydrogenated oils, 275
optimization, 275
positional isomers, 275
stationary phases, 275
Clove, Extract of, with Ethanol
cloves, 603
diffusion, 603
eugenol, 603
extraction, 603
mass transfer, 603

Cocoa Butter, Extraction with Supercritical Carbon Dioxide
caffeine, 423
carbon dioxide, 423
cocoa butter, 423
ethanol, 423
process design, 423
supercritical fluid extraction, 423
theobromine, 423
xanthines, 423
Cocoa Butter, X-Ray Diffraction Memory Effect
cocoa butter, 1225
cocoa butter composition, 1225
memory effect, 1225
phase transitions, 1225
polymorphism, 1225
X-ray powder diffraction, 1225
Cocoa Butter, X-Ray Diffraction of, Relationship Between Melting Behavior and Composition of β Form
cocoa butter, 1217
cocoa butter composition, 1217
melting behavior, 1217
polymorphism, 1217
X-ray powder diffraction, 1217
Cocoa Butter, X-Ray Diffraction Studies of Crystallization Behavior
cocoa butter, 1209
crystallization, 1209
phase transitions, 1209
polymorphism, 1209
X-ray powder diffraction, 1209
Cocoa Butter Triglycerides—Contribution to Physical Properties of Milk Fat Fractions
butterfat, 955
butterfat fractions, 955
cocoa butter, 955
differential scanning calorimetry, 955
fat fractionation, 955
phase transitions, 955
penetrometry, 955
solid-phase extraction, 955
texture, 955
Coconut Oil, Aqueous Extraction of
aqueous coconut oil extraction, 683
oil yield, 683
quality characteristics, 683
Coconut Proteins, Emulsifying Capacity of, as Function of Salt, Phosphate, and Temperature
coconut protein, 1669
coconut protein concentrate, 1669
emulsifying capacity, 1669
nitrogen solubility, 1669
Confectionery Products, Applications of Milk Fat Fractions in
chocolate, 945
confectionery coatings, 945
fat bloom, 945
milk-fat fractions, 945
Conifer Seed Oils, Distribution of Δ5 Acids by ^{13}C NMR
conifer seed oil, 1615
Δ5 acids, 1615
distribution between α- and β-chains, 1615
^{13}C nuclear magnetic resonance spectroscopy, 1615
Conifer Seed Oils, GLC–MS of Derivatives of
conifer seed oil, 1323
Δ5-ethylenic bond, 1323
4,4-dimethyloxazoline derivatives, 1323
equivalent chain lengths, 1323
gas–liquid chromatography, 1323
mass spectrometry, 1323
Conifer Seeds, Composition and Oil Content
cis-5 olefinic acids, 765
conifer seeds, 765
Cupressaceae, 765
equivalent chain lengths, 765
fatty acid composition, 765
gas–liquid chromatography, 765
oil content, 765
Pinaceae, 765
Taxaceae, 765
Taxodiaceae, 765
Cottonseed Oil Color, Miscella Refining Test for
cottonseed oil, 815
miscella, 815
miscella refining, 815
oleic acid, 815
PBSY, 815
refined color, 815
Cumin Seed Oil, Deacidification with Supercritical Carbon Dioxide
black cumin seed oil, 1265
deacidification, 1265
fractionation, 1265
free fatty acids, 1265
Nigella sativa, 1265
supercritical carbon dioxide extraction, 1265
Cyclic Fatty Acids, Mass-Spectral Data for
2-alkyl-4,4-dimethyloxazoline, 1317
cyclic fatty acid monomers, 1317
gas chromatography, 1317
electron ionization mass spectrometry, 1317

D

Deep-Fat Frying, Changes in Oil Composition
butylated hydroxyanisole, 499
deterioration, 499
nonurea adduct-forming esters, 499
polyunsaturated fatty acids, 499
soybean oil, 499
tertiary butylhydroquinone, 499
vanaspati, 499
Deodorizer Distillates, Isolation of Tocopherol and Sterols from Sunflower Oil
Candida cylindracea lipase, 1271
deodorizer distillate, 1271
Mucor miehei lipase, 1271
Diesel Fuel, As Solvents for Lipase-Catalyzed Interesterification of Triglycerides and Phospholipids
biodiesel, 1497
diesel fuel, 1497
fatty acid ester, 1497
lipase, 1497
organic solvent, 1497
phosphatidylcholine, 1497
triglyceride, 1497
Diesel Fuel, Soybean Esters Fuel and Emission Properties of
biodiesel, 1549
diesel engine, 1549
engine emissions, 1549
engine performance, 1549
fuel properties, 1549
isopropyl ester, 1549
methyl soyate, 1549
particulate emissions, 1549
winterization, 1549
Diesel Fuels, Characteristics of Tallow Esters and Ethanol
crystallization characteristics, 759

diesel fuel, 759
ethanol, 759
methyl tallowate, 759
saturated fatty acids, 759
unsaturated fatty acids, 759
Diesel Fuels, Improving Low Temperature Properties of
biodiesel, 1719
cloud point, 1719
cold filter plugging point, 1719
diesel fuel, 1719
kinematic viscosity, 1719
low-temperature flow test, 1719
methyl esters, 1719
pour point, 1719
soybean oil, 1719
winterization, 1719
Diesel Fuels, Survey of Seed Oils
cetane index, 471
diesel fuel, 471
fatty acid composition, 471
heat of combustion, 471
iodine value, 471
saponification number, 471
seed oil, 471
Digalactosyldiacylglycerol, Analysis of by HPLC
cereals, 211
digalactosyldiacylglycerol, 211
experimental design, 211
HPLC, 211
oat, 211
reversed-phase liquid chromatography, 211
Dimer Acids, Cutting Fluid Additives from Ester
antirust activity, 807
antirust additives, 807
cutting fluid additives, 807
dimer acid, 807
half esters of dimer acid, 807
water-based cutting fluids, 807
Dimorphotheca pluvialis Seeds, Supercritical Carbon Dioxide Extraction of
carbon dioxide, 1675
Dimorphotheca oil, 1675
extraction, 1675
mass transfer coefficient, 1675
oil quality, 1675
seed pretreatment, 1675
supercritical, 1675
Docosahexaenoic and Docosapentaenoic Acids, Production by Lipase
docosahexaenoic acid, 1421
essential fatty acids, 1421
n-6-docosapentaenoic acid, 1421
Schizochytrium, 1421
single-cell oil, 1421
Thraustochytrid, 1421

E

Eicosenoic Acid Methyl Esters, Transitions in Thermotropic Phases
differential scanning calorimetry, 403
fatty ester polymorphism, 403
Limnanthes, 403
meadowfoam, 403
Epoxidation by Enzymes, Unsaturated Esters and Plant Oils
epoxidation of plant oils, 1453
epoxidation of rapeseed oil methyl ester, 1453
hydrogen peroxide, 1453
lipase, 1453
perhydrolysis, 1453
peroxy acids, 1453
Epoxidation of Triglycerides with Ethylmethyldioxirane
biphasic epoxidation, 461
epoxides, 461
oils and fats, 461
oxirane, 461
phase-transfer catalyzed, 461
Esterification of Long-Chain Acids and Alcohols, Sugar-Modified Lipases
esterification, 1475
fatty acids, 1475
fatty alcohols, 1475
HLB, 1475
hydrophilic-lipophilic balance, 1475
long-chain fatty acid esters, 1475
microaqueous organic media, 1475
surfactant-modified lipase, 1475
Estolides, from Meadowfoam Fatty Acids *via* Acid-Catalyzed Condensation
docosanolactone, 1097
eicosanolactone, 1097
estolide, 1097
geometrical isomerization, 1097
meadowfoam fatty acids homopolymer, 1097
perchloric acid, 1097
polyestolide, 1097
positional isomerization, 1097
sulfuric acid, 1097
trans fatty acids, 1097
Estolides, Quantitation by FTIR Spectroscopy
estolide, 563
FTIR, 563
meadowfoam oil fatty acids, 563
vegetable oil fatty acids, 563
Ethenolysis of Esters of Vegetable Oils, Effect of B_2O_3 and Catalysts
B_2O_3 addition, 229
ethenolysis, 229
metathesis, 229
methyltrioxorhenium, 229
rhenium oxide, 229
silica–alumina, 229
vegetable oils, 229
Ethyl Linoleate, Oxidation in Emulsions
emulsions, 795
lipids, 795
micelles, 795
oxidation, 795
rancidity, 795

F

Fat Rheology, Fractal Nature of Fat Crystal Network?
butterfat, 991
fractal dimension, 991
interesterification, 991
plastic fats, 991
rheology, 991
spreadability, 991
texture, 991
Fat Substitutes, Preparation of Sorbitol Polyesters
fat substitute, 637
optimum reaction condition, 637
response surface methodology, 637
sorbitol fatty acid polyester, 637
Fish Lipids, Fatty Acid Analysis of Freshwater, 537
Fish Lipids, Free Fatty Acid in
alkalimetric titration, 1019
free fatty acid, 1019
free fatty acid content, 1019

Iatroscan TLC–FID, 1019
oils, 1019
lipid class, 1019
phospholipid, 1019
polar lipid, 1019
Fish Oils, Analysis of Triacylglycerols in Docosahexaenoic Acid-Rich Fish Oils
bonito, 483
docosahexaenoic acid, 483
fatty acid, 483
fish oil, 483
positional distribution, 483
sardine, 483
seal, 483
stereospecific analysis, 483
triacyl-*sn*-glycerols, 483
tuna, 483
Fish Oils, Oil Content and Composition of Turkish Species
anchovy, 389
fatty acid composition, 389
fish, 389
n-3 fatty acids, 389
rainbow trout, 389
salmon, 389
Fish Oils, Oxidative Stability and Composition of Encapsulated Brazilian
Brazilian encapsulated fish oils, 251
cod liver oil, 251
encapsulated fish oils, 251
fatty acid composition, 251
fish oils, 251
marine oils, 251
oxidative stability, 251
polar components, 251
Rancimat, 251
Fish Oils, Production of Triglycerides Rich in Long-Chain n-3 Acids
Candida rugosa, 1409
DHA, 1409
enrichment, 1409
EPA, 1409
esterification, 1409
fish oil, 1409
hydrolysis, 1409
lipase, 1409
n-3 fatty acids, 1409
Rhizomucor miehei, 1409
Flavonoids, Antioxidative Effects of During Peroxidation of Methyl Linoleate
antioxidants, 777
azoinitiators, 777
catechol compounds, 777
flavonoids, 777
kinetic study, 777
methyl linoleate, 777
oxygen consumption, 777
peroxidation, 777
phenols, 777
relative rate constants, 777
Freundlich Isotherm, Use in Oil Processing Adsorption Isotherms
adsorbents, 1627
bleaching, 1627
competitive adsorption, 1627
miscellas, 1627
Frying Oils, Rejection Limits by Fractionation of Oligomeric Triglycerides
fractionation, 1579
frying oil assessment, 1579
oligomeric compounds, 1579
polar compounds, 1579
polymeric compounds, 1579
thermal oxidation, 1579
Fungi, Cessation of Polyunsaturated Fatty Acid Formation Grown on Plant Oils
Conidiobolus, Entomophthora, fungi, 431
Mortierella, Mucor, oil conversion, 431
polyunsaturated fatty acids, 431

G

γ-Linolenic Acid, Effect of Extraction Methods on Yield and Composition from Fungi
extraction, 357
fungi, 357
Mucor mucedo, 357
γ-linolenic acid, 357
lipid, 357
γ-Linolenic and Stearidonic Acids in Mongolian Boraginaceae
Amblynotus, 1681
Boraginaceae, 1681
capillary gas chromatography, 1681
chemotaxonomy, 1681
Cynoglossum, 1681
Hackelia, 1681
Lappula, 1681
γ-linolenic acid, 1681
seed oil, 1681
stearidonic acid, 1681
Geranyl Acetate, Enzymatic Syntheses of
acetic anhydride, 1379
adsorption, 1379
geranyl acetate, 1379
immobilization, 1379
lipase, 1379
Pseudomonas sp., 1379
reaction parameters, 1379
terpene esters, 1379
transesterification, 1379
Ginkgo biloba Seed, Fatty Acid Composition of
fatty acids, 575
Ginkgo biloba, 575
mass spectrometry, 575
silver ion chromatography, 575
Glyceride Synthesis, In Solvent-Free Systems
acyl donors, 1489
glyceride synthesis, 1489
lipase, 1489
solvent-free, 1489
Glycerolysis, Conversion of Oils to Monoglycerides in Supercritical Carbon Dioxide
diglycerides, 699
glycerolysis, 699
monoglycerides, 699
supercritical carbon dioxide, 699
Gossypol, Ethanol Vapor Deactivation in Cottonseed Meal
alcohol, 1337
cottonseed, 1337
deactivation, 1337
ethanol, 1337
feed, 1337
ferrous sulfate, 1337
gossypol, 1337
isopropanol, 1337
vapor, 1337
Gossypol, Quick Method for Estimating in Cottonseed
analysis, 199
cottonseed, 199

environment, 199
gossypol, 199
plant breeder, 199
polyphenol, 199
spectrophotometer, 199

H

Hamster Liver Lipids, Extraction with Supercritical Carbon Dioxide
cholesterol, 1341
hamster, 1341
lipid, 1341
liver, 1341
supercritical CO_2, 1341
Hydrogenation, Catalysts for Linoleic Acid
catalytic hydrogenation, 1311
Cu, 1311
geometrical and positional isomers, 1311
linoleic acid, 1311
Ni, 1311
Pd, 1311
reaction mechanism, 1311
Hydrogenation of Ethyl Phenylacetate, Effects of Raw Materials and Catalyst Preparation
ethyl-phenylacetate, 465
hydrogenation, 465
impregnation, 465
2-phenylethanol, 465
ruthenium/tin/alumina, 465
sol-gel, 465

I

Immobilized Lipase, Production of Structured Lipids by
acidolysis, 1415
caprylic acid, 1415
essential fatty acid, 1415
immobilized enzyme, 1415
linseed oil, 1415
Rhizopus delemar lipase, 1415
lipase, 1415
safflower oil, 1415
structured lipid, 1415
Infant Formulas, Fatty Acid Composition and *trans* Profile
distribution pattern, 1595
essential fatty acids, 1595
infant formulas, 1595
trans fatty acids, 1595
Interesterification of Triglycerides and Fatty Acids, Surfactant-Modified Lipases
fatty acid, 1505
interesterification, 1505
modified lipase, 1505
surfactant, 1505
triglyceride, 1505
Interesterified Blends, Oxidative Stability of, 539
Iodine Value, Determination Without Chlorinated Solvents
iodine value, 519
nonchlorinated solvent, 519
potentiometric, 519
titration, 519
visual, 519

J

Jojoba Oil, Binding to Polymer Matrix
allyl-brominated jojoba wax derivatives, 1083
aminated polystyrene, 1083
binding of jojoba wax to polymer, 1083
jojoba wax, 1083
phosphonation, 1083
sulfur-chlorination, 1083
Jojoba Oil, Binding to Polystyrene Resins
allyl-brominated jojoba derivative, 1075
jojoba wax, 1075
polystyrene lithiation, 1075
sulfur chlorination, 1075

L

Lard, Antioxidant Effects of Flavonoids on
Anthriscus sylvestris, 773
antioxidant activity, 773
apigenin, 773
flavonoids, 773
quercetin, 773
rutin, 773
tocopherol, 773
Lard, Composition of Natural and Randomized
lard, 303
lipid analysis, 303
randomization (interesterification), 303
Lecithin, Hydrolysis by Phospholipase A_2 in Bioreactor
fatty acids separation, 337
lecithin hydrolysis, 337
phospholipase A_2, 337
reversed micelles, 337
ultrafiltration membrane bioreactor, 337
Lecithin, Stability of Rapeseed Gums as a Source of Pharmaceutical
lecithin wet gum, 367
rapeseed lecithin, 367
rapeseed wet gum storage, 367
stability of rapeseed wet gum, 367
Lesquerella Hydroxy Acids, Isolation of
extraction, 1113
fatty acid purification, 1113
hydroxy acids, 1113
lesquerella, 1113
lesquerolic acid, 1113
lipolysis, 1113
saponification, 1113
Lesquerella Oil, Triglyceride Analysis by Column Chromatography and Supercritical Fluids
lesquerella oil, 267
supercritical fluid chromatography, 267
triglyceride analysis, 267
Lesquerolic Acid, Wax and Diol Esters, Synthesis by Lipase
α,ω-diol esters, 1385
esters, 1385
hydroxy acid esters, 1385
lesquerella oil, 1385
lesquerolic acid esters (properties of), 1385
lipase, 1385
Rhizomucor miehei lipase, 1385
Linoleic Acid, Novel Compounds from a Microbial Isolate
bioconversion, 1359
Clavibacter, 1359
linoleic acid, 1359
trihydroxy fatty acid, 1359
12,13,17-trihydroxy-9(*Z*)-octadecenoic acid, 1359
unsaturated fatty acids, 1359
Lipase, Characterization and Purification of an Extracellular
alcohol ester synthesis, 739
detergent stability, 739

enzyme purification, 739
esterolysis, 739
extracellular lipase, 739
Neurospora, 739
nonpositional specificity, 739
solid-state fermentation, 739
solvent stability, 739
wheat bran, 739
Lipase, Effects of Solvents in Microaqueous Media
esterification, 1427
glycerol, 1427
lipase, 1427
microaqueous media, 1427
multiproduct reactions, 1427
propanediols, 1427
reaction product selectivity, 1427
solvent polarity, 1427
Lipase, Immobilized, Production of Camptostar
anticancer drug, 1377
Camptosar, 1377
immobilized PS-30 lipase, 1377
selective acylation, 1377
Lipase, Synthesis of Chiral Pharmaceutical by
accurel PP, 1363
captopril, 1363
chiral acetate, 1363
esterification, 1363
hydrolysis, 1363
immobilization, 1363
lipase, 1363
paclitaxel, 1363
stereoselective, 1363
thromboxane A_2 antagonist, 1363
Lipase Activity, Toward Hydroxy Acids
enantioselectivity, 543
estolides, 543
hydroxy fatty acids, 543
lactones, 543
lipases, 543
Lipase-Catalyzed Synthesis, Regioisomerically Pure Glycerides
diacylglycerol, 1513
esterification, 1513
fatty acid vinyl ester, 1513
irreversible and reversible acyl transfer, 1513
lipase, 1513
monoacylglycerol, 1513
regioselectivity, 1513
RE value, 1513
substrate specificity, 1513
triacylglycerol, 1513
Lipases, Structured Lipids from Eicosapentaenoic Acid and Immobilized Enzyme
additives, 611
column chromatography, 611
eicosapentaenoic acid, 611
hydrolysis, 611
interesterification, 611
medium-chain triacylglycerols, 611
pancreatic lipase, 611
Lipases, Synthesis of Medium-Chain Glycerides in Organic Solvents
lipase, 1521
medium-chain glyceride, 1521
synthetic reaction, 1521
Lipid Adsorption, on Silica Hydrogels
adsorption, 693
diffuse reflectance transform infrared spectroscopy, 693
fatty acids, 693
hydrogen bonding, 693
phosphatidylcholine, 693
triglyceride, 693
Lipid Oxidation, Singlet Oxygen Resulting from Photochemical Sensitizers and Antioxidants
antioxidants, 1177
chemiluminescence, 1177
conjugated dienes, 1177
fatty acids, 1177
lipid hydroperoxides, 1177
photosensitizers, 1177
Lipomyces starkeyi, Effect of Temperature on Lipid and Fatty Acid Profiles
fatty acids, 1071
Lipomyces starkeyi, 1071
neutral lipids, 1071
phospholipids, 1071
temperature, 1071
Liposomes, Formation and Characterization from Pig Stratum Corneum
liposomes, 443
permeability alterations, 443
pig stratum corneum, 443
Liposomes, Physicochemical Characteristics of Wool Lipids
liposomes, 1713
NMR, 1713
TEM, 1713
TLC/FID, 1713
wool lipids, 1713
Lipoxygenase, Versatile Biocatalyst
allene oxide synthase, 1347
free radical, 1347
hydroperoxide lyase, 1347
hydroperoxylinoleic acid, 1347
hydroxylinoleic acid, 1347
lipoxygenase, 1347
oxygenated fatty acids, 1347
Lipoxygenase Use, Oxidation of Free and Esterified Linoleic Acid in Presence of Deoxycholate
deoxycholate, 1045
diacylglycerol, 1045
Glycine max, 1045
hydroperoxide, 1045
linoleate, 1045
lipoxygenase, 1045
monoacylglycerol.
Lobster, Fatty Acid Composition of Lipids from
cephalothorax, 259
fatty acid composition, 259
fish meal, 259
rock lobster, 259
Lubricating Oil Additive, Preparation and Characterization in
lubricating oil additive, 1205
lubricating property, 1205
2-mercaptobenzothiazole, 1205

M

Macadamia Nuts, Antioxidant Properties of Phenolic Compounds
antioxidant, 1585
macadamia nuts, 1585
oxidation, 1585
phenolic compounds, 1585
Malonaldehyde Formation, Inhibition of During Polyunsaturated Fatty Acid Oxidation
antioxidant, 653
β-carotene, 653
ω3 fatty acids, 653
2″-*O*-glycosyl isovitexin, 653

malonaldehyde, 653
α-tocopherol, 653
Malvales Seed Oils, Warning Concerning Novel Foods, 1737
Margarine Oils, from Genetically Modified Soybean Oils
dropping points, 729
gas–liquid chromatography, 729
genetically modified soybeans, 729
high-performance liquid chromatography, 729
interesterified triacylglycerols, 729
margarine oils, 729
palm oil, 729
randomized palm oil, 729
solid fat index, 729
stearic acid, 729
Margarines, Analysis of Triacylglycerol by ^{13}C NMR
^{13}C NMR, 1011
fatty acid composition, 1011
margarine, 1011
milk fat, 1011
partially hydrogenated oils, 1011
triacylglycerol, 1011
triglyceride, 1011
Margarines, Composition and Physical Properties of
color, 995
dropping points, 995
fatty acids, 995
high melting glycerides, 995
polymorphism, 995
soft margarines, 995
solid fat, 995
texture, 995
triglycerides, 995
Marine Microalga, Eicosapentaenoic Acid (20:5n-3) from
downstream processing of microalgae, 1025
eicosapentaenoic acid (EPA), 1025
HPLC purification, 1025
Phaeodactylum tricornutum, 1025
urea inclusion method, 1025
Meat Lipids, Supercritical Fluid Extraction of Irradiated Meats
beef lipids, 717
gas chromatography, 717
mass detection, 717
radiolytic hydrocarbons, 717
SFE, 717
Melon Seed, Composition and Use of Chinese
Chinese melon seed, 263
eleostearic acid, 263
meal, 263
oil, 263
protein, 263
tung oil, 263
Menhaden and Seal Oils, Stabilization with Tea Catechins
antioxidant activity, 1183
marine oils, 1183
menhaden oil, 1183
natural antioxidants, 1183
oxidative stability, 1183
seal blubber oil, 1183
synthetic antioxidants, 1183
tea catechins, 1183
Menhaden Oil, Oxidative Stability of Shortening Blends in Cookies, Crackers, and Snacks
anisidine value, 167
antioxidants, 167
fish oil, 167
hydrogenated, 167
menhaden oil, 167
oxidative stability, 167
peroxide value, 167
tertiary butylhydroquinone, 167
Totox value, 167
Methanolysis of Seed Oils, in Flowing Supercritical Carbon Dioxide
fatty acid methyl esters, 353
immobilized lipase, 353
lipase, 353
methanolysis, 353
supercritical carbon dioxide, 353
Methyl Ricinoleate, Kinetics of Pyrolysis
heptaldehyde, 1109
kinetics, 1109
methyl ricinoleate, 1109
methyl undecenoate, 1109
pyrolysis, 1109
Milk Fat, Tempering Method for Chocolate Containing
chocolate, 723
differential scanning calorimetry, 723
dry fractionation, 723
milk fat, 723
tempering, 723
Milk Fat Fractions, Chemical and Thermal Properties of Fractions Isolated by Melt Crystallization
dry fractionation, 1647
fatty acid, 1647
milk fat, 1647
thermal properties, 1647
triacylglycerol composition, 1647
Milk Fats, Thermal Crystal Properties and Measurements and Fractionation
butterfat, 1603
crystallization, 1603
crystal amount, 1603
differential scanning calorimetry, 1603
fractionation, 1603
milk fat, 1603
nuclear magnetic resonance, 1603
process control, 1603
Milk Fats, Triglyceride Composition of Ewe, Cow, and Goat
cow, 283
ewe, 283
fatty acids, 283
GLC, 283
goat, 283
HPLC, 283
milk fat, 283
triglycerides, 283
Mono- and Dioleoylglycerols, Method for Production
diglyceride, 673
emulsifiers, 673
esterification, 673
food additives, 673
glycerolysis, 673
lipase, 673
monoglyceride, 673
Pseudomonas sp., 673
stabilizers, 673
Monoglycerides, Kinetics of Acyl Migration and Effects of Chain Length
chemical rearrangement, 707
equilibrium constant, 707
monoglyceride, 707
reaction velocity, 707
reaction velocity constants, 707
Mustard Seed and Rice Bran, Enzymatic Extraction of
cellulase, 687
enzymatic extraction, 687
mustard seed, 687

pectinase, 687
protein, 687
rice bran, 687

N

NMR, of Fatty Compounds with Allylic Hydroxy Groups
allylic hydroxy groups, 661
carbon nuclear magnetic resonance, 661
2(*E*)-ene-1,4-diols, 661
methylene envelope, 661
symmetrical compounds, 661
N,N'-Ethylenediyl-*bis*-Alkanamides, DSC of
differential scanning calorimetry, 311
N,N'-ethylenediyl-*bis*-alkanamides, 311
thermal properties, 311

O

Oilseed Meals, Hexane Sorption in
equilibrium, 1657
hexane, 1657
meals, 1657
sorption isotherm, 1657
soybean, 1657
sunflower, 1657
Oilseed Processing–Economic Evaluation
Crambe, 1635
Dimorphotheca, 1635
economics, 1635
Euphorbia, 1635
new crops, 1635
processing of new oilseed crops, 1635
super critical extraction, 1635
vernolic, 1635
Oleate Metathesis, Synthesis of Hydrocarbons by
diethyl 9-octadecenedioate, 333
10,11-dioctyl eicosane, 333
ethyl and methyl oleates, 333
metathesis, 333
9-octadecene, 333
palm oil, 333
star-shaped hydrocarbon, 333
Oleic Acid Esterification of in the Presence of Glycerol and Iron Catalyst
esterification, 347
glycerol, 347
kinetics, 347
oleic acid, 347
sulfated iron oxide, 347
superacidity, 347
Olive Debittering
kinetics of the debittering process, 593
lactic acid bacteria, 593
oleuropein, 593
olive fruit, 593
Olive Oil, ^{13}C NMR for Grade Determination
glycerides, 1201
quantitative ^{13}C NMR, 1201
virgin olive oil, 1201
Olive Oil, Identification of Adulterants in
discriminant analysis, 515
near-infrared spectroscopy, 515
olive oil, 515
principal components analysis, 515
Olive Oil Extraction, Integral Centrifuges for
integral centrifuges, 417
olive oil extraction, 417
qualitative characteristics of oil, 417
Olive Oil Quality, Effect of Mixing Leaves on Organoleptic Properties
metal crusher, 371
mixed olives-leaves, 371
olive oil quality, 371
Olive Oils, Antioxidant Activity of Tocopherols and Phenolic Compounds in
α-tocopherol, 1589
antioxidant, 1589
oxidation, 1589
phenols, 1589
virgin olive oil, 1589
Olive Oils, NMR Study of Minor Components
olive variety, 747
quality, 747
virgin olive oil, 747
Olive Oils, Volatiles and Sensory Attributes of
sensory attributes, 1253
statistical sensory wheel, 1253
virgin olive oil, 1253
volatiles, 1253
Olive Oil Sterols, Determination of by Gas Chromatography
differentiation of oil types, 1685
olive oil, 1685
refined, 1685
solvent-extracted, 1685
sterol, 1685
virgin, 1685
Oxidation of Ethyl Linoleate Emulsions
effects of droplet composition, 1207

P

Palm Fiber, Source of Carotenoids, Vitamin E, and Sterols
carotenoids, 599
fiber oil, 599
lycopene, 599
palm-pressed fiber, 599
phytoene, 599
phytofluene, 599
sterols, 599
tocopherol, 599
tocotrienols, 599
Palm Oil, Continuous Supercritical Carbon Dioxide Processing of
carotenes, 233
co-solvent, 233
diglycerides, 233
free fatty acids, 233
monoglycerides, 233
palm oil, 233
solubility of palm oil, 233
supercritical carbon dioxide, 233
vitamin E, 233
Palm Oil, Separation of Components by Supercritical Fluid Chromatography
carotenes, 523
diglycerides, 523
free fatty acids, 523
palm oil, 523
supercritical fluid chromatography, 523
tocopherol, 523
tocotrienols, 523
triglycerides, 523
Palm Stearin, Nutritional Quality of in Vanaspati
cholesterol, 617
digestibility, 617
methyl ester, 617
palmstearin, 617
phospholipid, 617

rapeseed oil, 617
soybean oil, 617
sunflower oil, 617
total lipid, 617
triglyceride, 617
Phase Behavior of PPP–POP Mixtures by X-Ray Diffraction
differential scanning calorimetry, 1567
mixture phase behavior, 1567
2-oleodipalmitin, 1567
polymorphism, 1567
synchrotron radiation X-ray diffraction, 1567
tripalmitin, 1567
Phase Diagrams, Oil/Methane/Ether Mixtures
methyl esters, 1247
phase diagrams, 1247
vegetable oil/methanol/ether mixtures, 1247
Phosphatidylcholine, Effects on Casein-Oil Emulsions
casein, 437
lecithin, 437
lipid protein interaction, 437
oil–water interface, 437
Phospholipase D, Changes During Seed Development and Germination of Soybeans
gene expression, 1171
Glycine max, 1171
lipid degradation, 1171
nonhydratable phosphatides, 1171
phospholipase D, 1171
soybeans, 1171
Phospholipids, Separation and Analysis by Light Scattering Detection
evaporative light-scattering detector, 1561
HPLC analysis, 1561
phospholipids, 1561
purification, 1561
solid-phase extraction, 1561
Phospholipids, Transesterification Immobilized by Enzymes
cell immobilization, 657
lipase, 657
phospholipids, 657
Rhizopus, 657
transesterification, 657
Physical Refining, Comparison of Steam and Nitrogen as Stripping Gases
distillates, 1641
efficiency, 1641
nitrogen, 1641
oil quality, 1641
physical refining, 1641
steam, 1641
Phytases, Isolation and Identification of Soybean
food and feed processing, 1143
isolation, 1143
phytate hydrolysis, 1143
soy phytases, 1143
Pinus Seed Oils, Distribution of Δ5 Olefinic Acids
cis-5 olefinic acids, 1539
distribution profile, 1539
Pinus koraiensis, 1539
pinaster, 1539
reversed-phase high-performance liquid chromatography, 1539
triacylglycerols, 1539
Polyphenols, Extraction of in Immersion Extractor
diffusivity, 1121
extraction, 1121
polyphenols, 1121
pulsed extractor, 1121
Polyunsaturated Fatty Acids, Enrichment by Lipases
Candida rugosa, 1403
DHA, 1403
enrichment, 1403
EPA, 1403
esterification, 1403
fatty acids, 1403
fish oil, 1403
lipase, 1403
ω3, 1403
Rhizomucor miehei, 1403
Primrose Oil, Enzymatic Modification of by Incorporation of n-3 Polyunsaturated Acids
Candida antarctica, 1059
evening primrose oil, 1059
immobilized lipase, 1059
γ-linolenic acid, 1059
n-3 PUFA, 1059
n-6 PUFA, 1059
transesterification, 1059

R

Rancimat Test, Assessment of Fish Oil Stability
anchovy oil, 1033
fish oil oxidation, 1033
hake liver oil, 1033
peroxidation kinetics, 1033
peroxide decomposition, 1033
Rancimat test, 1033
Schaal Oven test, 1033
Rancimat Test, Oxidative Stability of Vegetable Oils
chemiluminescence, 1039
conductivity, 1039
induction period, 1039
oxidative stability, 1039
Rancimat, 1039
rapeseed oil, 1039
safflower oil, 1039
sunflower oil, 1039
vegetable oils, 1039
walnut oil, 1039
Rapeseed, Esterification Reactions Catalyzed by Acetone Powder in Germinating Seeds
acetone powder, 1527
esterification, 1527
interesterification, 1527
lipase, 1527
rape seedlings, 1527
Rapeseed Oil, Diffusion Coefficient During Extraction with Hexane
diffusion, 669
diffusion coefficient, 669
rapeseed oil extraction, 669
solvent extraction, 669
Rice Bran, Comparison of Isopropanol and Hexane for Extraction of Vitamin E
extraction, 1653
hexane, 1653
isopropanol, 1653
oryzanol, 1653
rice bran oil, 1653
vitamin E, 1653
Rice Bran, Extraction of Fatty and Waxy Material by Supercritical Carbon Dioxide
carbon dioxide, 1127
long-chain acids, 1127
long-chain alcohols, 1127
rice bran, 1127
rice bran oil, 1127

rice bran wax, 1127
supercritical extraction, 1127
triacontanol, 1127
Rice Bran Oil, Ambient Temperature Extraction with Hexane and Isopropanol
oil composition, 811
oil quality, 811
oxidative stability, 811
Rubberseed, Lipase Activity in
lipase, 1471
oil extraction, 1471
para rubber, 1471

S

Saturated Fatty Acid–Identity of By-Products from Industrial Production of
fatty acid by-products, 1297
fatty acid dimers, 1297
fish oils, 1297
lactone esters, 1297
supercritical fluid chromatography, 1297
Seed Oils, Fatty Acid Variation in *Ocimum* Species
basil, 393
edible oil, 393
fatty acids, 393
Lamiaceae, 393
linolenic acid, 393
linseed oil, 393
Ocimum, 393
O. basilicum, 393
O. canum, 393
O. gratissimum, 393
O. sanctum, 393
seed oil, 393
Sesame Proteins, Influence of pH and Salt Concentration on Foaming, Solubility and Emulsification
emulsification, 1663
foamability, 1663
NaCl concentration, 1663
pH, 1663
protein solubility, 1663
sesame protein concentrate, 1663
Sesame Seed Flour, Effect of Dehulling Methods on Composition and Functional Properties
dehulling methods, 1133
desolventizing temperatures, 1133
functional properties, 1133
proximate composition, 1133
sesame seed flour, 1133
Sesame Seed–Saturated Triacylglyceride–Viscosity and Crystallization of
crystallization, 1237
nucleation, 1237
reduced viscosity, 1237
sesame oil, 1237
tripalmitin, 1237
tristearin, 1237
Shea Fat, Enzyme-Assisted Extraction of
enzyme-assisted fat extraction, 449
light microscopy, 449
shea kernels, 449
shea kernels cells, 449
Soapstock, Composition of Low-Molecular Weight Organics
acid water, 1275
canola, 1275
composition, 1275
cottonseed, 1275
glycerophosphate, 1275
maize, 1275
myoinositol phosphate, 1275
peanut, 1275
soapstock, 1275
soybean, 1275
sunflower, 1275
vegetable oil, 1275
Soapstock, Cottonseed Composition and Characterization
cottonseed soapstock, 1287
gas chromatography, 1287
gossypol, 1287
silylation, 1287
soapstock, 1287
trimethylsilylation, 1287
Soapstock, Low-Molecular Weight Compounds from Acid Water of Coconut
acid water, 1305
coconut oil, 1305
composition, 1305
fatty acids, 1305
gas chromatography, 1305
high-performance liquid chromatography, 1305
mass spectroscopy, 1305
soapstock, 1305
Soapstock, Synthesis of Fatty Acids by Enzymes from
alcoholysis, 1393
esterification, 1393
fatty acid ester, 1393
lipase, 1393
phospholipid, 1393
soapstock, 1393
transesterification, 1393
triglyceride, 1393
Solid Fat Index, Determination by FTIR Spectroscopy
dilatometry, 411
edible oil analysis, 411
Fourier transform infrared spectroscopy, 411
FTIR spectroscopy, 411
SFC, 411
SFI, 411
solid fat content, 411
solid fat index, 411
Soy Phospholipids, HPLC Separations of
gradient, 193
HPLC, 193
lecithin, 193
methods, 193
phospholipids, 193
separations, 193
standards, 193
Soy Hull Carbon, Adsorbent for Minor Soybean Oil Components
adsorption, 527
free fatty acid, 527
peroxides, 527
phospholipid, 527
lutein, 527
Soy Protein, Mechanism of Physical Modification of Insoluble Concentrate
aggregating, 1067
denaturation, 1067
functional property, 1067
functionality, 1067
protein aggregate, 1067
protein modification, 1067
solubility, 1067
solubilization, 1067
soybean, 1067
soy protein, 1067

Soy Proteins, Acid Modified—Effect of Salts and Disulfide Bond Cleavage on Adhesion and Viscosity
adhesive strength, 1063
alkaline modification, 1063
disulfide cleavage, 1063
soy proteins, 1063
viscosity, 1063
wood, 1063
Soybean Oil, Deacidification by Membrane Technology
free fatty acids, 219
membrane technology, 219
methanol, 219
refining, 219
vegetable oils, 219
Soybean Oil, Effect of Genetic Modification on Bioconstituents
genetic modification of soybeans, 581
high saturated acids, 581
high-performance liquid chromatography, 581
phospholipid, 581
phospholipid molecular species, 581
phytosterol, 581
reduced linolenate, 581
soybean oil, 581
tocopherol, 581
Soybean Oil, *In situ* Alcoholysis of
alcoholysis, 225
extraction, 225
fatty acid butyl ester, 225
fatty acid ethyl ester, 225
fatty acid methyl ester, 225
fatty acid propyl ester, 225
in situ alcoholysis, 225
soybean oil, 225
Soybean Oil, Oxidative Stability of Lipoxygenase Free
autoxidation, 1327
fatty acids, 1327
hydroperoxide, 1327
lipoxygenase, 1327
peroxide value, 1327
sensory evaluation, 1327
soybean oil, 1327
volatile compounds, 1327
Soybean Oil and Jojoba Oil Extraction, Phase Diagram for Oleic Acid
jojoba oil, 239
liquid-liquid equilibrium, 239
neutralization, 239
refining, 239
soybean oil, 239
Soybean Phospholipids, Solvent System for HPLC Analysis with Evaporative Light Scattering Detection
analysis, 535
HPLC, 535
mobile phase solvent, 535
phospholipids, 535
separations, 535
soybean oil, 535
tert-butyl methyl ether, 535
tetrahydrofuran, 535
Soybean Seed Growth, Effects of Day and Night Temperatures
chemical composition, 733
fatty acids, 733
high temperature, 733
night temperature, 733
oil, 733
oil quality, 733
protein, 733
soybean, 733
Steroidal Aromatase Inhibitors, Design and Action of
action, 1435
aromatase, 1435
design, 1435
inhibition, 1435
inhibitor, 1435
inhibitors, 1435
steroid, 1435
steroidal, 1435
Sterols, Kinetics During Saponification in
degradation, 623
first-order kinetics, 623
gas chromatography, 623
6-ketocholestanol, 623
7-ketocholesterol stability, 623
mass spectrometry, 623
saponification, 623
tautomerization, 623
trimethylsilyl ether, 623
Structured Lipids, Enzymatic Synthesis of
caprylic acid ethyl ester, 245
enzymatic synthesis, 245
lipases, 245
organic media, 245
structured lipids, 245
transesterification, 245
triolein, 245
Sucrose Fatty Monoesters, Regioselective Synthesis by Lipase
enzymatic esterification, 1481
lipase, 1481
regioselectivity, 1481
solvent-free acylation, 1481
sucrose acetal, 1481
sucrose ester, 1481
sugar fatty acid ester, 1481
Sucrose Polyesters, Physical Properties by Response Surface Methodology
formulation, 455
mixture response surface methodology, 455
optimization, 455
physical properties, 455
sucrose polyester, 455
Sunflower Oil, Analysis of Volatile Fraction from, Under Pressure
gas chromatography, 713
mass spectrometry, 713
sunflower oil, 713
terpenic hydrocarbons, 713
volatile compounds, 713
Sunflower Oil, Effects of Sucrose Esters on Kinetics of Polymorphic Transition
crystallization, 321
induction time, 321
polymorphism, 321
sucrose ester, 321
sunflowerseed oil, 321
X-ray diffractometry, 321
Sunflower Oil, Improved Oxidative Stability in the Presence of Oxygen-Scavenging Films
active packaging, 181
energy transfer, 181
oxidation, 181
oxygen scavenging, 181
singlet oxygen, 181
sunflower, 181
Sunflower Seed Oil, Extract of with Supercritical CO_2 and Ethanol Mixtures
entrainer, 1573
oil acidity, 1573
phospholipids, 1573

supercritical CO_2–ethanol mixtures, 1573
supercritical extraction of oil, 1573
Supercritical Fluid Chromatography–Applications to New Cropseed Oils and Reactions
esters, 1691
Euphorbia lagascae oil, 1691
lesquerella oil, 1691
meadowfoam oil, 1691
supercritical fluid chromatography, 1691
triglycerides, 1691
vernonia oil, 1691

T

Tall Oil, Separation of Methyl Esters from by Selective Adsorption
fatty acid methyl esters, 203
resin acids, 203
selective adsorption, 203
tall oil, 203
Tigernut Tubers, Fatty Acid Compositions of and Mixtures with Baobab Seeds
Adansonia digitata L., 255
Cyperus esculentus L., 255
fatty acids/essential fatty acids, 255
mixture of oils, 255
potential in novel food formulation, 255
trans Acid Content, Internal Standards for Infrared Determination
gas chromatography, 1165
hydrogenated vegetable oils, 1165
infrared spectrophotometry, 1165
silver nitrate–thin layer chromatography, 1165
trans fatty acids, 1165
trans Fatty Acids, Determination by Capillary Gas Chromatography and ATR Spectroscopy
attenuated total reflection infrared spectroscopy, 1699
capillary-column gas chromatography, 1699
trans fatty acids, 1699
trans Isomer Content, Determination by ATR Spectroscopy
attenuated total reflection, 1003
infrared, 1003
trans fatty acids, 1003
trans 18:1 Isomer, Analysis in Edible Beef Tallow
beef, 531
distribution profile, 531
fatty acid composition, 531
tallow, 531
trans-octadecenoic acids, 531
vaccenic acid, 531
Triacylglycerides–Fatty Acid Mixtures, Separation of by Membranes
alcohol solubility, 399
cellulosic and noncellulosic membranes, 399
deacidification, 399
hydrophobic/hydrophilic, 399
liquid–liquid extraction, 399
mixed fatty acids, 399
polyamide, 399
polysulfone, 399
reverse osmosis, 399
triacylglycerol, 399
ultrafiltration, 399
Triacylglycerol Structure, by High-Resolution ^{13}C NMR
borage oil, 551
chemical shifts, 551
evening primrose oil, 551
fatty acid analysis, 551
long-chain polyunsaturated triacylglycerol, 551
^{13}C NMR, 551
positional distribution, 551
Triacylglycerols, Kinetics of Crystallization
crystallization kinetics, 1051
differential scanning calorimetry, 1051
modeling, 1051
polarized light microscopy, 1051
POP, 1051
POS, 1051
solidification, 1051
SOS, 1051
triacylglycerol, 1051
Triacylglycerols—NMR of Polymorphic Forms
^{13}C CP/MAS-NMR, 1231
chemical shift, 1231
cocoa butter, 1231
crystal structure, 1231
molecular conformation, 1231
polymorphism, 1231
solid fat, 1231
subcell structure, 1231
triacylglycerol, 1231
Tristearin, Polymorphism in the Presence of Food Emulsifiers
DSC, 187
dynamic process, 187
food emulsifiers, 187
polymorphism, 187
powder X-ray diffraction, 187
stabilized systems, 187
tristearin, 187

V

Vegetable Oils, AOCS Collaborative Study on Sensory and Volatile Analyses
canola oil, 157
corn oil, 157
flavor, 157
gas chromatography, 157
low-erucic acid rapeseed oil, 157
oxidation, 157
sensory evaluation, 157
soybean oil, 157
sunflower oil, 157
volatile compound, 157
Vegetable Oils, Minor Constituents in
gas chromatography, 587
high-performance liquid chromatography, 587
minor constituents, 587
polymeric glycerides, 587
steradienes, 587
sterols, 587
steryl esters, 587
tocopherols, 587
trans fatty acids, 587
vegetable oils, 587
Vernolic Acid, Determination by Gas and Supercritical Fluid Chromatography
epoxy fatty acid, 1161
fatty acid methyl esters, 1161
free fatty acids, 1161
gas chromatography, 1161
supercritical fluid chromatography, 1161
vernolic acid, 1161
Vernolic Acid, Seed Oils of *Bernardia pulchella*
Bernardia pulchella, 1733
epoxy fatty acids, 1733
Euphorbiaceae, 1733

GC–MS, 1733
silylated hydroxy–methoxy derivatives, 1733
vernolic acid, 1733

W

Wax Esters, Differential Scanning Calorimetry for Estimation of Unsaturation
differential scanning calorimetry, 271
index of saturation, 271
jojoba wax, 271
transesterified wax esters, 271
Wax Esters, Synthesis of Hydroxylated by Biocatalysis
π/A-isotherms, 1459
aleuritic acid, 1459
biocatalysis, 1459
Brewster-angle microscopy, 1459
enzyme fixed-bed reactor, 1459
esterification, 1459
hydroxy wax esters, 1459
Langmuir film balance, 1459
lipase, 1459
transesterification, 1459

X

Ximenynic Acid, Separation from *Santalum spicatum* as 4,4-Dimethyloxazoline Derivatives
4,4-dimethyloxazoline, 1729
fatty acid methyl ester, 1729
gas chromatography, 1729
isomers, 1729
sandalwood (*Santalum spicatum*), 1729
ximenynic acid, 1729

Surfactants and Detergents

A

Acetals,
  from poly(ethylene glycol) monomethyl ethers, 841
Alcohol Sulfates,
  effect of branching, 935
Analysis,
  of amine oxide/anionic surfactant mixtures, 143
  of impurities in sulfonated fatty acid methyl esters, 121
  of surfactants by ion-spray mass spectrometry, 137
  of zeolite, silicate and phosphate in detergent products, 131

B

Betaines,
  as drag-reducing agents, 921
Biodegradability,
  of alcohol ethoxylates, 929
  of glycoside surfactants, 929
Biosurfactants,
  rhamnolipids from ethanol, 851
  sugar esters, 109
  surfactin, a lipopetide, 149
Bis-quaternary, *see* Diquaternary

C

Carboxymethyl Inulin,
  as calcium carbonate precipitation inhibitor, 55
Chromium Soaps,
  in benzene–DMF solutions, 127
Cobalt Complexes,
  of diacylglyceryldiamine ligands, 97
Coupled Plasma Atomic Emission Spectrometry,
  in analysis of inorganic detergent ingredients, 131
Critical Micelle Concentration, *see* Surface Chemistry

D

Detergency,
  compact versus conventional formulations, 27
  of alcohol ethoxylates, 863
Diacylglyceryldiamines,
  as ligands in cobalt complexes, 97
Diethylperfluorononanoate,
  solubilization by mixed fluorocarbon/hydrocarbon micelles, 21
Diquaternary,
  Gemini surfactants, 885, 907
Drag-Reducing,
  agents, 921

E

Emulsifiers,
  alcohol sulfates, 935
  sugar esters, 109
Emulsions,
  palm oil-in-water, 47
Enhanced Oil Recovery,
  use of pelargonic acid, 939
Enzymes,
  lipase from *Penicillium cyclopium*, 115
  lipase in the preparation of sugar esters, 109
Esters,
  hydrolysis of poly(ethylene glycol) esters, 913
Ether Lipids,
  review, 819
Ethoxylation,
  of alkylphenols, 73
  of amines, 73
  of fatty acids, 63
  of fatty alcohols, 63, 73
  of silanols, 63
Europium Soaps, 897
  molar volume, acoustic studies, 897

F

Falling Film Reactor,
  for viscous liquids, 857
Fatty Acids,
  from palm and palm kernel oils in soap, 105
Foaming,
  of lipopeptides, 149

G

Glycyrrhizinate,
  catalytic effect of dipotassium salt, 913
Guerbet Alcohols,
  sulfation, 935

H

Hard-Surface Cleaning,
  by nonionics, 9
Homolog Distribution,
  effect on toxicity of alcohol ethoxylates, 903

I

Ion-Spray Mass Spectrometry,
  in analysis of surfactants in consumer products, 137

L

Lamellar Liquid Crystals,
  effect of Malaysian red palm oil on surfactant aggregation, 153
Lecithin Mimics,
  from aspartic and glutamic acids, 87
  from lysine, 79
Lipopeptides,
  foaming, 149
Liposomes,
  effect of octyl glucoside in phosphatidylcholine, 877

M

Malaysian Red Palm Oil,
  in surfactant aggregates, 153
Micelles, *see* Surface Chemistry
Microemulsions,
  effect of added *n*-decanol on stability of water-in-oil, 15
Microwave Irradiation,
  in the synthesis of quaternary ammonium salts, 847
Mixed Micelles, *see* Surface Chemistry

N

Narrow-Range Ethoxylates,
  synthesis, 73
  toxicity, 903
Nonionics,
  in simulated spray cleaning, 9

P

Pelargonic Acid,
  in enhanced oil recovery, 939
Phase Transfer,
  catalysts, 847
Phase Transfer Catalysis,
  in preparing ethers, 831

Phenylsulfonamide Ethoxylates,
surface-tension properties of, 891
Polycarboxylates,
from inulin, 55
Polymers,
polyoxybutylene, 1
polyoxyethylene, 1
polyoxypropylene, 1
Precipitation of Calcium Carbonate,
inhibition by carboxymethyl inulin, 55

Q

QSER,
quantitative-structure-effect relationship, 863
Quaternary Ammonium Salts,
synthesis by microwave irradiation, 847

S

Sarcosinate, *N*-Alkyl,
as drag-reducing agent, 921
Soap,
from distilled palm and palm kernel fatty acids, 105
Statistical Design,
for detergency performance, 863
Sugar Esters,
enzymatic preparation, 109
Sulfonation,
in falling-film reactor, 857
Surface Chemistry,
chromium soaps, 127
dynamic surface tension of nonionics, 9
of cobalt diacylglyceryldiamine complexes, 97
of diquaternary Gemini surfactants, 885, 903
of dodecylbenzenesulfonate/α-olefinsulfonate mixtures, 39
of europium soaps, 897
of lecithin mimics, 79
of octyl glucoside in phosphatidylcholine liposomes, 877
of phenylsulfonamide ethoxylates, 891
of polyoxyalkylene block copolymers, 1
of α-sulfonated fatty acid poly(ethylene glycol) esters, 31
Surfactants,
acetals derived from poly(ethylene glycol) monomethyl ether, 841
α-olefinsulfonate, 39
α-sulfonated fatty acid methyl esters, 121
α-sulfonated fatty acid polyethylene glycol esters, 31
alcohol ethoxylates, 9, 73, 863, 903, 929
alcohol sulfates, 137, 153, 935
alkylbenzenesulfonate, 137
alkyl glycidyl ethers, 831
alkylphenol ethoxylates, 9
alkylphenylsulfonamide ethoxylates, 891
alkylpolyglycoside, 137, 929
alkyltrimethylammonium salts, 137, 153
amine oxide, 137
betaines, 921
bis-quaternary salts, 67, 885
diethylammonium perfluorononanoate, 21
dodecylbenzenesulfonate, 39
glyceryl ethers, 819
isostearyl glyceryl ether, 819
lecithin mimics from aspartic and glutamic acids, 87
lecithin mimics from lysine, 79
N-alkylsarcosinates, 921
phenylsulfonamide ethoxylates, 891
polyoxybutylene, 1
polyoxyethylene, 1
polyoxypropylene, 1
rhamnolipids, 851
silanol ethoxylates, 63
sugar esters, 109, 929

T

Toxicity,
effect of homolog distribution in alcohol ethoxylates, 903
of alcohol ethoxylates, 929
of alkylpolyglycoside, 929
of sugar esters, 929

U

Ultrasonic Velocity,
of europium soaps in mixed solvents, 897

W

Williamson Synthesis,
of ethers, 831

Author

A

Abbott, T.P. See Erhan, S.M.
Abdel-Moety, E.M. See Al-Rashood, K.A.
Abidi, S.L., T.L. Mounts, and T. Finn. A Preferred Solvent System for High-Performance Liquid Chromatographic Analysis of Soybean Phospholipids with Evaporative Light-Scattering Detection, 535
See Mounts, T.L.
Abou-Shaaban, R.R.A. See Al-Rashood, K.A.
Abu-Bakar, B.B. See Pryce-Jones, R.H.
Ackman, R.G. Fatty Acid Analysis of Freshwater Fish Lipids, 537
See McNeill, G.P.
See Zhou, S.
Addis, P.B. See Park, P.W.
Adhikari, C. See Proctor, A.
Adlercreutz, P. See Millqvist Fureby, A.
Ahluwalia, J.C. See Bharadwaj, S.
Aitzetmüller, K. Intended Use of *Malvales* Seed Oils in Novel Food Formulations—A Warning, 1737
Oxidative Stability of Interesterified Blends, 539
See Spitzer, V.
See Tsevegsüren, N.
Akoh, C.C., B.H. Jennings, and D.A. Lillard. Enzymatic Modification of Evening Primrose Oil: Incorporation of n-3 Polyunsaturated Fatty Acids, 1059
See Huang, K.-H.
See Lee, K.-T.
See Shieh, C.-J.
See Yee, L.N.
Akova, A. See Üstün, G.
Al-Rashood, K.A., R.R.A. Abou-Shaaban, E.M. Abdel-Moety, and A. ?auf. Compositional and Thermal Characterization of Genuine and Randomized Lard: A Comparative Study, 303
Ali, L.H., G. Angyal, C.M. Weaver, J.I. Rader, and M.M. Mossoba. Determination of Total *trans* Fatty Acids in Foods: Comparison of Capillary-Column Gas Chromatography and Single-Bounce Horizontal Attenuated Total Reflection Infrared Spectroscopy, 1699
Ali, Y. See Hanna, M.A.
Allouch, M., M.R. Infante, J. Seguer, M.-J. Stebe, and C. Selve. Nonionic Amphiphilic Compounds from Aspartic and Glutamic Acids as Structural Mimics of Lecithins, 87
See Seguer, J., 87
Alonso, M.V. See Aparicio, R.
Alvarez, A. See García, A.
Amarowicz, R. See Shahidi, F.
Amemiya, Y. See Minato, A.
Ando, Y., T. Ota, Y. Matsuhira, and K. Yazawa. Stereospecific Analysis of Triacyl-*sn*-Glycerols in Docosahexaenoic Acid-Rich Fish Oils, 483
Andráši, P. See Čertík, M.
Angerosa, F. See Di Giovacchino, L.
See Ranalli, A.
Angers, P., M.R. Morales, and J.E. Simon. Fatty Acid Variation in Seed Oil Among *Ocimum* Species, 393
Angyal, G. See Ali, L.H.
Anuar, K. See Zaizi, D.
Aparicio, R., M.T. Morales, and M.V. Alonso. Relationship Between Volatile Compounds and Sensory Attributes of Olive Oils by the Sensory Wheel, 1253
Apelblat, A., T. Zaharoskin, J. Wisniak, and E. Korngold. Extraction of Oleic Acid from Soybean Oil and Jojoba Oil—Phase Diagrams, 239
Arcos, J.A., and C. Otero. Enzyme, Medium, and Reaction Engineering to Design a Low-Cost, Selective Production Method for Mono- and Dioleoylglycerols, 673
Arishima, T., K. Sugimoto, R. Kiwata, H. Mori, and K. Sato. ^{13}C Cross-Polarization and Magic-Angle Spinning Nuclear Magnetic Resonance of Polymorphic Forms of Three Triacylglycerols, 1231
Armstrong, L. See Malcolmson, L.J.
Arquette, J.D. See Sessa, D.J.
Aruoma, O.I., Assessment of Potential Prooxidant and Antioxidant Actions, 1617
Asakawa, T., J. Ikehara, and S. Miyagishi. Solubilization of Octafluoronaphthalene by Mixed Micelles of Fluorocarbon and Hydrocarbon Surfactants in Aqueous Solutions, 21
Asbi, A.B. See Che Man, Y.B.
Azeemoddin, G. See Prasad, N.B.L.
Azudin, M.N. See Che Man, Y.B.

B

Babu, S., R.V. Sudershan, R.K. Sharma, and R.V. Bhat. A Simple and Rapid Polarimetric Method for Quantitative Determination of Castor Oil, 397
Bagby, M.O. See Dunn, R.O.
See Huang, J.-K.
See Knothe, G.
Bailey, D.T. See Richheimer, S.L.
Balazs, P.E., P.L. Schmit, and B.F. Szuhaj. High-Performance Liquid Chromatographic Separations of Soy Phospholipids, 193
Baldioli, M., M. Servili, G. Perretti, and G.F. Montedoro. Antioxidant Activity of Tocopherols and Phenolic Compounds of Virgin Olive Oil, 1589
Banerjee, A. See Patel, R.N.
Baniel, A. See Razafindralambo, H.
Barnard, M.J. See Sarney, D.B.
Barone, P. See Sacchi, R.
Barrera-Arellano, D. See Fantoni, C.M.
Barsukova, T.K. See Roginsky, V.A.
Bartle, K.D. See Türkay, S.
Basheer, S., M. Nakajima, and U. Cogan. Sugar Ester-Modified Lipase for the Esterification of Fatty Acids and Long-Chain Alcohols, 1475
Basu, H.M. See Purcell, D.L.
Bayard, C.C., and R.L. Wolff. Analysis of *trans*-18:1 Isomer Content and Profile in Edible Refined Beef Tallow, 531
See Chardigny, J.-M.
See Wolff, R.L.
Belfer, S. See Binman, S.
Benton, M. See Guo, R.
Berdeaux, O., and R.L. Wolff. Gas–Liquid Chromatography–Mass Spectrometry of the 4,4-Dimethyloxazoline Derivatives of Δ5-Unsaturated Polymethylene-Interrupted Fatty Acids from Conifer Seed Oils, 1323
Berezin, O.Y., Ya.I. Tur'yan, I. Kuselman, and A. Shenhar. Rapid and Complete Extraction of Free Fatty Acids from Oilseeds for Acid Value Determination, 1707
See Tur'yan, Ya.I.
Bergana, M.M., and T.W. Lee. Structure Determination of Long-Chain Polyunsaturated Triacylglycerols by High-Resolution ^{13}C Nuclear Magnetic Resonance, 551
Bergqvist, M.H.J., and P. Kaufmann. Analysis of Cereal Digalactosyldiacylglycerol Molecular Species by High-Performance Liquid Chromatography, 211
Bergstrom, K. See Yue, C.
Bernart, M.W. See Richheimer, S.L.

Berset, C. See Cuvelier, M.-E.
Bézard, J. See Gresti, J.
Bharadwaj, S., and J.C. Ahluwalia. Mixed-Surfactant System of Dodecylbenzene Sulfonate and Alpha-Olefin Sulfonate: Micellar and Volumetric Studies, 39
Bhaskar, A. See Ooi, C.K.
Bhat, R.V. See Babu, S.
Bhattacharyya, D.K. See Ghosh, S.
See Ray, S.
See Sengupta, R.
Bhowmick, D.N. See Kumar, N.S.K.
Biliaderis, C.G. See Liu, H.
Bimbo, T. See Chapman, K.W.
Binman, S., S. Belfer, and A. Shani. Functionalization at the Double-Bond Region of Jojoba Oil. 7. Chemical Binding of Jojoba Liquid Wax to Polystyrene Resins, 1075
Functionalization at the Double-Bond Region of Jojoba Oil. 8. Chemical Binding of Jojoba Liquid Wax to a Polymer Matrix *via* an Amine "Spacer," 1083
Blyholder, G.D. See Proctor, A.
Bocci, F., and N. Frega. Analysis of the Volatile Fraction from Sunflower Oil Extracted Under Pressure, 713
Boocock, D.G.B., S.K. Konar, and H. Sidi. Phase Diagrams for Oil/Methanol/Ether Mixtures, 1247
Borch-Jensen, C., and J. Mollerup. Determination of Vernolic Acid Content in the Oil of *Euphorbia lagascae* by Gas and Supercritical Fluid Chromatography, 1161
Bors, W. See Roginsky, V.A.
Boswinkel, G., J.T.P. Derksen, K. van't Riet, and F.P. Cuperus. Kinetics of Acyl Migration in Monoglycerides and Dependence on Acyl Chainlength, 707
See Cuperus, F.P.
Bounoshita, M. See Choo, Y.M.
Bowen, D.J. See Proctor, A.
Breene, W.M. See Budin, J.T.
Breitschuh, B., and E.J. Windhab. Direct Measurement of Thermal Fat Crystal Properties for Milk-Fat Fractionation, 1603
Brito, C. See van Malssen, K.
Brühl, L. See Ferrari, R.Ap.
Budin, J.T., W.M. Breene, and D.H. Putnam. Some Compositional Properties of Seeds and Oils of Eight *Amaranthus* Species, 475
Buffon, R. See Mandelli, D.
Burford, M.D. See Türkay, S.

C

Caboni, M.F., S. Menotta, and G. Lercker. Separation and Analysis of Phospholipids in Different Foods with a Light-Scattering Detector, 1561
Cabral, J.M.S. See Morgado, M.A.P.
Calvo, L. See Cocero, M.J.
Cao, L. See Wan, Y.
Cardarelli, D.A., and G.H. Crapiste. Hexane Sorption in Oilseed Meals, 1657
Carlson, K.D. See Hayes, D.G.
Cartens, M., E.M. Grima, A.R. Medina, A. Giménez Giménez, and J.I. González. Eicosapentaenoic Acid (20:5n-3) from the Marine Microalga *Phaeodactylum tricornutum*, 1025
Čertík, M., P. Andráši, and J. Šajbidor. Effect of Extraction Methods on Lipid Yield and Fatty Acid Composition of Lipid Classes Containing γ-Linolenic Acid Extracted from Fungi, 357
Chan, P.T. See Chen, Z.Y.
Chang, D.Y.Z., J.H. Van Gerpen, I. Lee, L.A. Johnson, E.G. Hammond, and S.J. Marley. Fuel Properties and Emissions of Soybean Oil Esters as Diesel Fuel, 1549
Chang, M.-K., E.J. Conkerton, D.C. Chapital, P.J. Wan, O.P. Vadhwa, and J.M. Spiers. Chinese Melon (*Momordica charantia* L.) Seed: Composition and Potential Use, 263
Chang, S.P., and J.A. Rothfus. Nonequilibrium Transitions in Thermotropic Phases of Eicosenoic Acid Methyl Esters, 403
Chapital, D.C. See Chang, M.-K.
Chapman, K.W., I. Sagi, J.M. Regenstein, T. Bimbo, J.B. Crowther, and C.E. Stauffer. Oxidative Stability of Hydrogenated Menhaden Oil Shortening Blends in Cookies, Crackers, and Snacks, 167
Chardigny, J.-M., R.L. Wolff, E. Mager, C.C. Bayard, J.-L. Sébédio, L. Martine, and W.M.N. Ratnayake. Fatty Acid Composition of French Infant Formulas with Emphasis on the Content and Detailed Profile of *trans* Fatty Acids, 1595
Chauhan, M. See Mehrotra, K.N.
Che Man, Y.B., Suhardiyono, A.B. Asbi, M.N. Azudin, and L.S. Wei. Aqueous Enzymatic Extraction of Coconut Oil, 683
Chen, X. See Xia, J.
Chen, Z.Y., P.T. Chan, H.M. Ma, K.P. Fung, and J. Wang. Antioxidative Effect of Ethanol Tea Extracts on Oxidation of Canola Oil, 375
Cheryan, M. See Raman, L.P.
Chinachoti, P. See Coupland, J.N.
Chiou, C.-M. See Lin, S.-F.
Chong, C.L. See Idris, N.A.
Recovered Oil from Palm-Pressed Fiber: A Good Source of Natural Carotenoids, Vitamin E, and Sterols, 599
Choo, Y.M., A.N. Ma, H. Yahaya, Y. Yamauchi, M. Bounoshita, and M. Saito. Separation of Crude Palm Oil Components by Semipreparative Supercritical Fluid Chromatography, 523
Synthesis of a Palm-Based Star-Shaped Hydrocarbon *via* Oleate Metathesis, 333
Recovered Oil from Palm-Pressed Fiber: A Good Source of Natural Carotenoids, Vitamin E, and Sterols, 599
Chow, F.I. See Kahlon, T.S.
Chow, M.C., and C.C. Ho. Properties of Palm-Oil-in-Water Emulsions: Effect of Mixed Emulsifiers, 47
Christie, W.W. See Hierro, M.T.G.
Chung, H.-Y., J. Park, J.-H. Kim, and U.-Y. Kong. Preparation of Sorbitol Fatty Acid Polyesters, Potential Fat Substitutes: Optimization of Reaction Conditions by Response Surface Methodology, 637
Clifford, A.A. See Türkay, S.
Cocero, M.J., and L. Calvo. Supercritical Fluid Extraction of Sunflower Seed Oil with CO_2–Ethanol Mixtures, 1573
Coderch, L., A. de la Maza, A. Pinazo, and J.L. Parra. Physicochemical Characteristics of Liposomes Formed with Internal Wool Lipids, 1713
Coderch, L. See Lopez, O.
Cogan, U. See Basheer, S.
Compo, M.E. See Guo, R.
Conkerton, E.J. See Chang, M.-K.
Cornell, D.G. See Hampson, J.W.
Coupland, J.N., and D.J. McClements. Droplet Composition Affects the Rate of Oxidation of Emulsified Ethyl Linoleate—Supporting Evidence, 1207
Droplet Composition Affects the Rate of Oxidation of Emulsified Ethyl Linoleate, 795
Crapiste, G.H. See Cardarelli, D.A.
Crowther, J.B. See Chapman, K.W.
Cuccio, A.P. See Fantoni, C.M.
Cuperus, F.P., G. Boswinkel, and J.T.P. Derksen. The Processing of New Oilseed Crops—An Economic Evaluation, 1635
Supercritical Carbon Dioxide Extraction of *Dimorphotheca pluvialis* Oil Seeds, 1675
See Boswinkel, G.
Cuppett, S.L. See Hanna, M.A.
Cuvelier, M.-E., H. Richard, and C. Berset. Antioxidative Activity and

Phenolic Composition of Pilot-Plant and Commercial Extracts of Sage and Rosemary, 645

D

Dalgleish, D.G. See Fang, Y.
Dandik, L. See Üstün, G.
Daniels, D.H. See Yasaei, P.M.
Daud, W.R.W. See Myint, S.
Dawson, K. See Liu, H.
de la Maza, A., and J.L. Parra. Solubilizing Effects Caused by the Nonionic Surfactant Octyl Glucoside in Phosphatidylcholine Liposomes, 877
See Coderch, L.
See Lopez, O.
Deluc, L.G. See Wolff, R.L.
de Lucas, A. See García, A.
del Valle González, A. See Jiménez de Blas, O.
deMan, L. See Idris, N.A.
Derksen, J.T.P. See Boswinkel, G.
See Cuperus, F.P.
Desmedt, A. See Elisabettini, P.
Di Giacinto, L. See Di Giovacchino, L.D.
Di Giovacchino, L.D., F. Angerosa, and L.D. Giacinto. Effect of Mixing Leaves with Olives on Organoleptic Quality of Oil Obtained by Centrifugation, 371
Dimick, P.S., S. Yella Reddy, and G.R. Ziegler. Chemical and Thermal Characteristics of Milk-Fat Fractions Isolated by a Melt Crystallization, 1647
See Yella Reddy, S.
Dobarganes, M.C. See Ruiz-Méndez, M.V.
See Tasioula-Margari, M.
Domingo, X. See Pinazo, A.
Domínguez, H. See Sineiro, J.
Dowd, M.K., Compositional Characterization of Cottonseed Soapstocks, 1287
See Huang, J.-K.
Dubois, J., F.R. van de Voort, J. Sedman, A.A. Ismail, and H.R. Ramaswamy. Quantitative Fourier Transform Infrared Analysis for Anisidine Value and Aldehydes in Thermally Stressed Oils, 787
Duchateau, G.S.M.J.E., H.J. van Oosten, and M.A. Vasconcellos. Analysis of *cis*- and *trans*-Fatty Acid Isomers in Hydrogenated and Refined Vegetable Oils by Capillary Gas–Liquid Chromatography, 275
Ducret, A., A. Giroux, M. Trani, and R. Lortie. Characterization of Enzymatically Prepared Biosurfactants, 109
Dunn, R.O., M.W. Shockley, and M.O. Bagby. Improving the Low-Temperature Properties of Alternative Diesel Fuels: Vegetable Oil-Derived Methyl Esters, 1719
Durant, F. See Elisabettini, P.
DuVal, D.L. See Ogura, I.
Dzulkefly, K. See Zaizi, D.

E

Eccleston, G.M. See Pryce-Jones, R.H.
Egawa, N. See Okano, T.
Ekanem, J.O. See Inyang, U.E.
Ekinci, E. See Türkay, S.
Elisabettini, P., A. Desmedt, and F. Durant. Polymorphism of Stabilized and Nonstabilized Tristearin, Pure and in the Presence of Food Emulsifiers, 187
Eneh, F.U. See Njoku, O.U.
Erciyes, A.T. See Guner, F.S.
Erdem-Senatalar, A. See Guner, F.S.
Erhan, S.M., R. Kleiman, and T.P. Abbott. Quantitation of Estolides by Fourier Transform Infrared Spectroscopy, 563
Eskin, N.A.M. See Liu, H.
See Malcolmson, L.J.
Esteves, W. See Ferrari, R.Ap.
Eteshola, E., and A.C.I. Oraedu. Fatty Acid Compositions of Tigernut Tubers (*Cyperus esculentus* L.), Baobab Seeds (*Adansonia digitata* L.), and Their Mixture, 255
Evans, L. See Tsvetnenko, E.

F

Fang, Y., and D.G. Dalgleish. Comparison of the Effects of Three Different Phosphatidylcholines on Casein-Stabilized Oil-in-Water Emulsions, 437
Fantoni, C.M., A.P. Cuccio, and D. Barrera-Arellano. Brazilian Encapsulated Fish Oils: Oxidative Stability and Fatty Acid Composition, 251
Faujan, B.H.A. See Zaizi, D.
Fehr, W. See Shen, N.
Ferrari, R. Ap., E. Schulte, W. Esteves, L. Brühl, and K.D. Mukherjee. Minor Constituents of Vegetable Oils During Industrial Processing, 587
Finn, T. See Abidi, S.L.
Fiordiponti, P. See Sacchi, R.
Foglia, T.A. See Hampson, J.W.
See Nelson, L.A.
See Piazza, G.J.
See Sonnet, P.E.
Fontanazza, G. See Sacchi, R.
Forestière, K. See Rousseau, D.
Fox, J.E.D. See Liu, Y.D.
Frega, N. See Bocci, F.
Friberg, S.E. See Guo, R.
Fujita, T. See Watanabe, S.
Fujiwara, M. See Okano, T.
Fukuda, M. See Okano, T.
Full, N. See Yella Reddy, S.
Fung, K.P. See Chen, Z.Y.

G

Gallegos-Infante, A. See Toro-Yazquez, J.F.
García, A., A. de Lucas, J. Rincón, A. Alvarez, I. Gracia, and M.A. García. Supercritical Carbon Dioxide Extraction of Fatty and Waxy Material from Rice Bran, 1127
García, M.A. See García, A.
García, M.T., I. Ribosa, J. Sánchez Leal, and W. Hreczuch. Effect of Homolog Distribution on the Toxicity of Alcohol Ethoxylates, 903
See Leal, J.S.
Gardner, H.W. Lipoxygenase as a Versatile Biocatalyst, 1347
German, J.B. See Simoneau, C.
Ghosh, S., and D.K. Bhattacharyya. Isolation of Tocopherol and Sterol Concentrate from Sunflower Oil Deodorizer Distillate, 1271
Gibson, L.R., and R.E. Mullen. Soybean Seed Composition Under High Day and Night Growth Temperatures, 733
Giménez Giménez, A. See Cartens, M.
Giroux, A. See Ducret, A.
Godber, J.S. See Hu, W.
Goh, S.-H. See Choo, Y.-M.

Gonzalez, J.J. See Leal, J.S.
Gracia, I. See García, A.
Grant, K.M. See Pryce-Jones, R.H.
Greibrokk, T. See Skovly, J.
Gresti, J., C. Mignerot, J. Bézard, and R.L. Wolff. Distribution of Δ5-Olefinic Acids in the Triacylglycerols from *Pinus koraiensis* and *Pinus pinaster* Seed Oils, 1539
Gu, W.Y. See Hua, Y.F.
Guardiola, F. See Park, P.W.
Guner, F.S., A. Sirkecioglu, S. Yilmaz, A.T. Erciyes, and A. Erdem-Senatalar. Esterification of Oleic Acid with Glycerol in the Presence of Sulfated Iron Oxide Catalyst, 347
Gunstone, F.D., and R.L. Wolff. Conifer Seed Oils: Distribution of Δ5 Acids Between α and β Chains by ^{13}C Nuclear Magnetic Resonance Spectroscopy, 1611
Guo, R., T. Moffett, Jr., M.E. Compo, S.E. Friberg, M. Benton, and R. Wong. The Effect of *n*-Decanol on Solubilization of Water-in-Oil Microemulsions and Stability of Lamellar Liquid Crystals of Alkylphenol Ethoxylates, 15
Guobin, H., L. Zuyu, Y. Suling, and Y. Rufeng. Study of Reaction and Kinetics in Pyrolysis of Methyl Ricinoleate, 1109
Gutiérrez, J.M. See Talens, F.I.

H

Haas, M.J., and K.M. Scott. Combined Nonenzymatic-Enzymatic Method for the Synthesis of Simple Alkyl Fatty Acid Esters from Soapstock, 1393
Diesel Fuel as a Solvent for the Lipase-Catalyzed Alcoholysis of Triglycerides and Phosphatidylcholine, 1497
Haga, T. See Watanabe, S.
Hagiwara, H. See Ogata, J.
Hagiwara, Y. See Ogata, J.
Hamada, J.S. Isolation and Identification of the Multiple Forms of Soybean Phytases, 1143
Hamdan, S. See Zaizi, D.
Hammond, E.G. See Chang, D.Y.Z.
See Lee, I.
See Johansen, S.L.
Hampson, J.W., and D.G. Cornell. Surface-Tension Properties of Some Polydispersed Alkyl-Substituted Polyoxyethylated Phenylsulfonamides, 891
Supercritical Fluid Extraction of Meat Lipids: An Alternative Approach to the Identification of Irradiated Meats, 717
Hanna, M.A., Y. Ali, S.L. Cuppett, and D. Zheng. Crystallization Characteristics of Methyl Tallowate and Its Blends with Ethanol and Diesel Fuel, 759
Hara, F., and T. Nakashima. Transesterification of Phospholipids by Acetone-Dried Cells of a *Rhizopus* Species Immobilized on Biomass Support Particles, 657
Harris, C.D. See Proctor, A.
Harris, J.M. See Yue, C.
Hartel, R.W., Applications of Milk-Fat Fractions in Confectionery Products, 945
Hartland, S. See Li, S.
Harwigsson, I., and M. Hellsten. Environmentally Acceptable Drag-Reducing Surfactants for District Heating and Cooling, 921
Hayes, D.G. The Catalytic Activity of Lipases Toward Hydroxy Fatty Acids—A Review, 543
The Isolation of Hydroxy Acids from Lesquerella Oil Lipolysate by a Saponification/Extraction Technique, 1113
A Detailed Triglyceride Analysis of *Lesquerella fendleri* Oil: Column Chromatographic Fractionation Followed by Supercritical Fluid Chromatography, 267
Lipase-Catalyzed Synthesis of Lesquerolic Acid Wax and Diol Esters and Their Properties, 1385
Supercritical Fluid Chromatographic Analysis of New Crop Seed Oils and Their Reactions, 1691
Hbid, C. See Razafindralambo, H.
Hellberg, P.-E. See Yue, C.
Hellsten, M. See Harwigsson, I.
Herrera, M.L., and F.J. Marquez Rocha. Effects of Sucrose Ester on the Kinetics of Polymorphic Transition in Hydrogenated Sunflower Oil, 321
Hettiarachchy, N.S. See Kalapathy, U.
Hierro, M.T.G., G. Robertson, W.W. Christie, and Y.-G. Joh. The Fatty Acid Composition of the Seeds of *Ginkgo biloba*, 575
See Ruiz-Sala, P.
Higashihara, T. See Nakahara, T.
Hill, A.R. See Rousseau, D.
Hirao, T. See Kim, T.-S.
Ho, C.C. See Chow, M.C.
Holbrook, L.A. See Kühnel, B.
Honda, D. See Nakahara, T.
Hou, C.T. A Novel Compound, 12,13,17-Trihydroxy-9(Z)-Octadecenoic Acid, from Linoleic Acid by a New Microbial Isolate *Clavibacter* sp. ALA2, 1359
Hreczuch, W., and J. Szymanowski. Synthesis of Surfactants with Narrow-Range Distribution of the Polyoxyethylene Chain, 73
See García, M.T.
Hron, R.J., Sr., M.S. Kuk, and P.J. Wan. Quick Method for Estimating Free Gossypol in Cottonseed, Meats, Collets, and Extracted Meals, 199
Ethanol Vapor Deactivation of Gossypol in Cottonseed Meal, 1337
See Wan, P.J.
Hsu, J. See Ooi, C.K.
Hu, W., J.H. Wells, T.-S. Shin, and J.S. Godber. Comparison of Isopropanol and Hexane for Extraction of Vitamin E and Oryzanols from Stabilized Rice Bran, 1653
Hu, Y.-Q. See Jiang, Y.-L.
Hua, Y.F., P.D. Ni, W.Y. Gu, and B.Y. Shen. Mechanism of Physical Modification of Insoluble Soy Protein Concentrate, 1067
Huang, J.-K., P.F. Dowd, K.C. Keudell, W.E. Klopfenstein, L. Wen, M.O. Bagby, A.C. Lanser, and R.A. Norton. Biotransformation of Saturated Monohydroxyl Fatty Acids to 2-Tetrahydrofuranyl Acetic Acid Derivatives: Mechanism of Formations and the Biological Activity of 5-*n*-Hexyl-Tetrahydrofuran-2-Acetic Acid, 1465
Huang, K.-H., and C.C. Akoh. Enzymatic Synthesis of Structured Lipids: Transesterification of Triolein and Caprylic Acid Ethyl Ester, 245

I

Ibáñez González, J. See Cartens, M.
Idris, N.A., L. deMan, T.S. Tang, and C.L. Chong. Chemical Composition and Physical Properties of Soft (Tub) Margarines Sold in Malaysia, 995
Iduh, A.O. See Inyang, U.E.
Ikehara, J. See Asakawa, T.
Infante, M.R. See Seguer, J., 87
Inyang, U.E., and J.O. Ekanem. Effect of Dehulling Methods and Desolventizing Temperatures on Proximate Composition and Some Functional Properties of Sesame (*Sesamum indicum* L.) Seed Flour, 1133
Influence of pH and Salt Concentration on Protein Solubility, Emulsifying and Foaming Properties of Sesame Protein Concentrate, 1663
Isbell, T.A., and R. Kleiman. Mineral Acid-Catalyzed Condensation of Meadowfoam Fatty Acids into Estolides, 1097
Ishida, M. See Kawauchi, A.
Ishigami, Y. See Osman, M.
Ishii, K., F. Mizukami, S.-I. Niwa, M. Toba, H. Ushijima, and T. Sato. Effects of Raw Materials and Preparation

Methods of Catalysts on the Selective Hydrogenation of Ethyl Phenylacetate, 465
Ismail, A.A. See Dubois, J.
See van de Voort, F.R.
Itoh, H. See Kitayama, Y.

J

Jachmanián, I., and K.D. Mukherjee. Esterification and Interesterification Reactions Catalyzed by Acetone Powder from Germinating Rapeseed, 1527
Jackson, M.A., and J.W. King. Methanolysis of Seed Oils in Flowing Supercritical Carbon Dioxide, 353
Jacques, P. See Razafindralambo, H.
Jain, M. See Mehrotra, K.N.
Jannini, M.J.D.M. See Mandelli, D.
Jennings, B.H. See Akoh, C.C.
Jensen, H.B. See Osman, M.
Jeyashoke, N. See Kalayasiri, P.
Jiang, Y.-L.,Y.-Q. Hu, J. Pang, and Y.-C. Yuan. Syntheses of Long-Chain Quaternary Ammonium Salts from Fatty Alcohols by Microwave Irradiation, 847
Jiménez de Blas, O., and A.V. González. Determination of Sterols by Capillary Column Gas Chromatography. Differentiation Among Different Types of Olive Oil: Virgin, Refined, and Solvent-Extracted, 1685
Joh, Y.-G. See Hierro, M.T.G.
Johansen, S.L., A. Sivasothy, M.K. Dowd, P.J. Reilly, and E.G. Hammond. Low-Molecular Weight Organic Compositions of Acid Waters from Vegetable Oil Soapstocks, 1275
Johnson, L. See Shen, N.
Johnson, L.A. See Chang, D.Y.Z.
See Lee, I.
Jones, K.C. See Hampson, J.W.

K

Kadhum, A.A.H. See Myint, S.
Kahlon, T.S., F.I. Chow, and R.N. Sayre. Quantitative Extraction of Hamster Liver Lipid and Cholesterol with Supercritical Carbon Dioxide, 1341
Kailis, S. See Tsvetnenko, E.
Kalapathy, U., N.S. Hettiarachchy, D. Myers, and K.C. Rhee. Alkali-Modified Soy Proteins: Effect of Salts and Disulfide Bond Cleavage on Adhesion and Viscosity, 1063
Kalayasiri, P., N. Jeyashoke, and K. Krisnangkura. Survey of Seed Oils for Use as Diesel Fuels, 471
Kaufmann, P. See Bergqvist, M.H.J.
Kawakami, S. See Ogura, I.
Kawauchi, A., and M. Ishida. Measurement of Zeolite, Silicate, and Phosphate in Laundry Detergent Products by Inductively Coupled Plasma Atomic Emission Spectrometry, 131
Kendrick, A., and C. Ratledge. Cessation of Polyunsaturated Fatty Acid Formation in Four Selected Filamentous Fungi When Grown on Plant Oils, 431
Kent, M.C. See Richheimer, S.L.
Keudell, K.C. See Huang, J.-K.
Kida, T. See Kim, T.-S.
Kifli, H. See Kuntom, A.
Kildiran, G., S.Ö. Yücel, and S. Türkay. *In-situ* Alcoholysis of Soybean Oil, 225
Kim, J.-H. See Chung, H.-Y.
Kim, T.-S., T. Hirao, and I. Ikeda. Preparation of *bis*-Quaternary Ammonium Salts from Epichlorohydrin, 67
Surface-Active Properties of Novel Cationic Surfactants with Two Alkyl Chains and Two Ammonio Groups, 907
King, G.A. See Richheimer, S.L.
King, J.W. See Jackson, M.A.
See Temelli, F.
Kitayama, Y., M. Muraoka, M. Takahashi, T. Kodama, H. Itoh, E. Takahashi, and M. Okamura. Catalytic Hydrogenation of Linoleic Acid on Nickel, Copper, and Palladium, 1311
Kiwata, R. See Arishima, T.
Klaas, M.R., and S. Warwel, Chemoenzymatic Epoxidation of Unsaturated Fatty Acid Esters and Plant Oils, 1453
Kleiman, R. See Erhan, S.M.
See Isbell, T.A.
See Sessa, D.J.
Klopfenstein, W.E. See Huang, J.-K.
Knothe, G., and M.O. Bagby. Assignment of ^{13}C Nuclear Magnetic Resonance Signals in Fatty Compounds with Allylic Hydroxy Groups, 661
Kodama, T. See Kitayama, Y.
Koehler, P.E. See Shieh, C.-J.
Kohout, K.M. See Hampson, J.W.
Koide, M., M. Takahashi, S. Tamagaki, and W. Tagaki. Catalytic Effect of Dipotassium Glycyrrhizinate on the Hydrolysis of Nonionic Ester Surfactants, 913
Komemushi, S. See Shimada, Y.
Konar, S.K. See Boocock, D.G.B.
Kong, U.-Y. See Chung, H.-Y.
Konishi, T. See Osanai, S.
Korngold, E. See Apelblat, A.
Krishna Kumar, N.S. and D.N. Bhowmick. Separation of Fatty Acids/Triacylglycerol by Membranes, 399
Krisnangkura, K. See Kalayasiri, P.
Ku, Y. See Yasaei, P.M.
Kühnel, B., L.A. Holbrook, M.M. Moloney, and G.J.H. van Rooijen. Oil Bodies of Transgenic *Brassica napus* as a Source of Immobilized β-Glucuronidase, 1533
Kuk, M.S. See Hron, R.J., Sr.
Kuntom, A., H. Kifli, and P.-K. Lim. Chemical and Physical Characteristics of Soap Made from Distilled Fatty Acids of Palm Oil and Palm Kernel Oil, 105
Kuo, S.-J., and K.L. Parkin. Solvent Polarity Influences Product Selectivity of Lipase-Mediated Esterification Reactions in Microaqueous Media, 1427
Kuselman, I. See Berezin, O.Y.
See Tur'yan, Ya.I.
Kwon, D.Y., H.N. Song, and S.H. Yoon. Synthesis of Medium-Chain Glycerides by Lipase in Organic Solvent, 1521
Kwon, K.S., and K.C. Rhee. Emulsifying Capacity of Coconut Proteins as a Function of Salt, Phosphate, and Temperature, 1669

L

Laakso, S. See Suutari, M.
Laili, C.R. See Zaizi, D.
Lam, C.C. See Lie Ken Jie, M.S.F.
Lang, S. See Lokotsch, W.
Lanser, A.C. See Huang, J.-K.
Lanza, B. See Marsilio, V.
Leal, J.S., L. Perez, I. Ribosa, M.T. García, and J.J. Gonzalez. Comparative Study of Conventional and Compact Detergents, 27
Lee, I., L.A. Johnson, and E.G. Hammond. Reducing the Crystallization Temperature of Biodiesel by Winterizing Methyl Soyate, 631
See Chang, D.Y.Z.
Lee, J.-C. See Lin, S.-F.
Lee, K.-T., and C.C. Akoh. Immobilized Lipase-Catalyzed Production of

Structured Lipids with Eicosapentaenoic Acid at Specific Positions, 611
Lee, T.W. See Bergana, M.M.
Lema, J.M. See Sineiro, J.
Lercker, G. See Caboni, M.F.
Li, S., and S. Hartland. A New Industrial Process for Extracting Cocoa Butter and Xanthines with Supercritical Carbon Dioxide, 423
Design and Action of Steroidal Aromatase Inhibitors, 1435
Lie Ken Jie, M.S.F., C.C. Lam, and M.K. Pasha. ^{13}C Nuclear Magnetic Resonance Spectroscopic Analysis of the Triacylglycerol Composition of *Biota orientalis* and Carrot Seed Oil, 557
^{13}C Nuclear Magnetic Resonance Spectroscopic Analysis of the Triacylglycerol Composition of Some Margarines, 1011
Lilienthal, W. See Prieto, W.
Lillard, D.A. See Akoh, C.C.
Lim, P.-K. See Kuntom, A.
Lin, S.-F., J.-C. Lee and C.-M. Chiou. Purification and Characterization of a Lipase from *Neurospora* sp. TT-241, 739
Lindgren, Å., M. Sjöström, and S. Wold. Quantitative–Structure–Effect Relationship for Some Technical Nonionic Surfactants, 863
List, G.R., T.L. Mounts, F. Orthoefer, and W.E. Neff. Potential Margarine Oils from Genetically Modified Soybeans, 729
See Temelli, F.
Liu, H., R. Przybylski, K. Dawson, N.A.M. Eskin, and C.G. Biliaderis. Comparison of the Composition and Properties of Canola and Sunflower Oil Sediments with Canola Seed Hull Lipids, 493
Influence of Solvent Content on Phase-Transition Temperatures of Oil Sediment and Solution Viscosity in Acetone/Canola Oil Systems, 1137
Turbidimetric Measurement of Haze in Canola Oil by Acetone Precipitation, 1557
Liu, L. See Rosen, M.L.
Liu, Y.D., R.B. Longmore, and J.E.D. Fox. Separation and Identification of Ximenynic Acid Isomers in the Seed Oil of *Santalum spicatum* R.Br. as Their 4,4-Dimethyloxazoline Derivatives, 1729
Lokotsch, W., S. Lang, D. Möbius, and F. Wagner. Biocatalytical Synthesis and Monolayer Studies of Multiple Hydroxylated Wax Esters, 1459
Longmore, R. See Tsvetnenko, E.
Longmore, R.B. See Liu, Y.D.
Lopez, O., A. de la Maza, L. Coderch, and J.L. Parra. Formation and Characterization of Liposomes from Lipid/Proteic Material Extracted from Pig Stratum Corneum, 443
Lortie, R. See Ducret, A.
Lundanes, E. See Skovly, J.

M

Ma, A.-N. See Choo, Y.-M.
Ma, H.M. See Chen, Z.Y.
MacManus, D.A. See Sarney, D.B.
Madsen, T., G. Petersen, C. Seierø, and J. Tørsløv. Biodegradability and Aquatic Toxicity of Glycoside Surfactants and a Nonionic Alcohol Ethoxylate, 929
Mager, E. See Chardigny, J.-M.
Malcolmson, L.J., M. Vaisey-Genser, R. Przybylski, D. Ryland, N.A.M. Eskin, and L. Armstrong. Characterization of Stored Regular and Low-Linolenic Canola Oils at Different Levels of Consumer Acceptance, 1153
Maloba, F.W., M.L. Rooney, P. Wormell, and M. Nguyen. Improved Oxidative Stability of Sunflower Oil in the Presence of an Oxygen-Scavenging Film, 181
Mandelli, D., M.J.D.M. Jannini, R. Buffon, and U. Schuchardt. Ethenolysis of Esters of Vegetable Oils: Effect of B_2O_3 Addition To $Re_2O_7/SiO_2{\cdot}Al_2O_3$-$SnBu_4$ and $CH_3ReO_3/SiO_2{\cdot}Al_2O_3$ Metathesis Catalysts, 229
Mannina, L. See Sacchi, R.
Mans, C. See Talens, F.I.
Marangoni, A.G., and D. Rousseau. Is Plastic Fat Rheology Governed by the Fractal Nature of the Fat Crystal Network?, 991
See Rousseau, D.
Marekov, I. See Lie Ken Jie, M.S.F.
Marley, S.J. See Chang, D.Y.Z.
Marmer, W.N. See Nelson, L.A.
Marpeau, A.M. See Wolff, R.L.
Marquez Rocha, F.J. See Herrera, M.L.
Márquez-Ruíz, G. See Tasioula-Margari, M.
Marsilio, V., B. Lanza, and N. Pozzi. Progress in Table Olive Debittering: Degradation *in vitro* of Oleuropein and Its Derivatives by *Lactobacillus plantarum*, 593
Martine, L. See Chardigny, J.-M.
Martínez-Castro, I. See Ruiz-Sala, P.
Matsuhira, Y. See Ando, Y.
Matsutani, S. See Yamada, K.
Matthäus, B.W. Determination of the Oxidative Stability of Vegetable Oils by Rancimat and Conductivity and Chemiluminescence Measurements, 1039
Mattiasson, B. See Millqvist Fureby, A.
McClements, D.J. See Coupland, J.N.
McClure, B.T. See Purcell, D.L.
McDonald, J. See Purcell, D.L.
McDonald, R.E. See Mossoba, M.M.
McGill, A.E.J. See Wesley, I.J.
McNeill, G.P., R.G. Ackman, and S.R. Moore. Lipase-Catalyzed Enrichment of Long-Chain Polyunsaturated Fatty Acids, 1403
See Moore, S.R.
Mehrotra, K.N., and M. Jain. Conductometric and Spectrophotometric Studies on Chromium Soap Solutions in Benzene–Dimethyl Formamide, 127
Molar Volume and Ultrasonic Studies of Europium Soaps in Mixed Organic Solvents, 897
Memon, K.P. See van de Voort, F.R.
Méndez, E., J. Sanhueza, H. Speisky, and A. Valenzuela. Validation of the Rancimat Test for the Assessment of the Relative Stability of Fish Oils, 1033
Menotta, S. See Caboni, M.F.
Micossi, E. See Tubaro, F.
Mignerot, C. See Gresti, J.
Millqvist Fureby, P. Adlercreutz, and B. Mattiasson. Glyceride Synthesis in a Solvent-Free System, 1489
Milovanovic, M., K. Picuric-Jovanovic, B. Vucelic-Radovic, and Z. Vrbaski. Antioxidant Effects of Flavonoids of *Anthriscus sylvestris* in Lard, 773
Minato, A., S. Ueno, J. Yano, Z.H. Wang, H. Seto, Y. Amemiya, and K. Sato. Synchrotron Radiation X-ray Diffraction Study on Phase Behavior of PPP–POP Binary Mixtures, 1567
Miyagishi, S. See Asakawa, T.
Miyajima, K. See Ogura, I.
Mizukami, F. See Ishii, K.
Möbius, D. See Lokotsch, W.
Moffett, T., Jr. See Guo, R.
Mogi, K., and M. Nakajima. Selection of Surfactant-Modified Lipases for Interesterification of Triglyceride and Fatty Acid, 1505
Mohamad, A.B. See Myint, S.
Mokady, S. See Werman, M.J.
Molina Grima, E. See Cartens, M.
Mollerup, J. See Borch-Jensen, C.
Moloney, M.M. See Kühnel, B.
Montedoro, G.F. See Baldioli, M.
Moore, S.R., and G.P. McNeill. Production of Triglycerides Enriched in Long-Chain n-3 Polyunsaturated Fatty Acids from Fish Oil, 1409
See McNeill, G.P.
Morales, M.R. See Angers, P.
Morales, M.T. See Aparicio, R.
Morgado, M.A.P., J.M.S. Cabral, and D.M.F. Prazeres. Phospholipase A_2-Catalyzed Hydrolysis of Lecithin in a Continuous Reversed-Micellar

Membrane Bioreactor, 337
Mori, H. See Arishima, T.
Mossoba, M.M., M.P. Yurawecz, and R.E. McDonald. Rapid Determination of the Total *trans* Content of Neat Hydrogenated Oils by Attenuated Total Reflection Spectroscopy, 1003
Confirmatory Mass-Spectral Data for Cyclic Fatty Acid Monomers, 1317
See Ali, L.H.
Mounts, T.L., S.L. Abidi, and K.A. Rennick. Effect of Genetic Modification on the Content and Composition of Bioactive Constituents in Soybean Oil, 581
See Abidi, S.L.
See List, G.R.
Mozayeni, F., G. Szajer, and M. Walters. Determination of Iodine Value Without Chlorinated Solvents, 519
Mukherjee, K.D. See Ferrari, R.Ap.
See Jachmanián, I.
Mullen, R.E. See Gibson, L.R.
Muraoka, M. See Kitayama, Y.
Muuse, B.G. See Cuperus, F.P.
Myers, D. See Kalapathy, U.
Myint, S., W.R.W. Daud, A.B. Mohamad, and A.A.H. Kadhum. Temperature-Dependent Diffusion Coefficient of Soluble Substances During Ethanol Extraction of Clove, 603

N

Nace, V.M. Contrasts in the Surface Activity of Polyoxypropylene and Polyoxybutylene-Based Block Copolymer Surfactants, I
Nagao, T. See Shimada, Y.
Nakagawa, H. See Watanabe, S.
Nakahara, T., T. Yokochi, T. Higashihara, S. Tanaka, T. Yaguchi, and D. Honda. Production of Docosahexaenoic and Docosapentaenoic Acids by *Schizochytrium* sp. Isolated from Yap Islands, 1421
Nakajima, M. See Mogi, K.
Nakano, H. See Shimada, Y.
Nakashima, T. See Hara, F.
Nakatsuji, Y. See Kim, T.-S.
Nawar, W.W. See Coupland, J.N.
Neeman, I. See Werman, M.J.
Neff, W.E. Oxidative Stability of Interesterified Blends—A Reply, 539
See List, G.R.
Nelsen, T., 157, See Warner, K.
Nelsen, T.C. See Sessa, D.J.
Nelson, L.A., T.A. Foglia, and W.N. Marmer. Lipase-Catalyzed Production of Biodiesel, 1191
Nguyen, M. See Maloba, F.W.
Ni, P.D. See Hua, Y.F.
Niwa, S. See Ishii, K.
Njoku, O.U., I.C. Ononogbu, and F.U. Eneh. Measurement of Lipase Activity in Rubber (*Hevea brasiliensis*) Seed, 1471
Nnanna, I.A. See Xia, J.
Norton, R.A. See Huang, J.-K.
Nour, M. See Wolff, R.L.
Noureddini, H., and M.L. Rempe. Pelargonic Acid in Enhanced Oil Recovery, 939
Nuñez, A. See Piazza, G.J.
Núñez, M.J. See Sineiro, J.

O

Ogata, J., Y. Hagiwara, H. Hagiwara, and T. Shibamoto. Inhibition of Malonaldehyde Formation by Antioxidants from ω3 Polyunsaturated Fatty Acids, 653
Ogura, I., d.L. DuVal, S. Kawakami, and K. Miyajima. Identification and Quantitation of Surfactants in Consumer Products by Ion-Spray Mass Spectrometry, 137
Ohmori, Y. See Watanabe, S.
Ohta, Y. See Tano-Debrah, K.
Okamura, M. See Kitayama, Y.
Okano, T., N. Egawa, M. Fujiwara, and M. Fukuda. α-Sulfonated Fatty Acid Esters: II. Solution Behavior of a-Sulfonated Fatty Acid Polyethylene Glycol Esters, 31
O'Lenick, A.J., Jr., and J.K. Parkinson. A Comparison of the Ethoxylation of a Fatty Alcohol, Fatty Acid, and Dimethiconol, 63
Effects of Branching upon Some Surfactant Properties of Sulfated Alcohols, 935
Ong, A.S.-H. See Choo, Y.-M.
Ononogbu, I.C. See Njoku, O.U.
Ooi, C.K., A. Bhaskar, M.S. Yener, D.Q. Tuan, J. Hsu, and S.S.H. Rizvi. Continuous Supercritical Carbon Dioxide Processing of Palm Oil, 233
See Choo, Y.-M.
Ooi, I.-H. See Choo, Y.-M.
Ooi, K.-E. See Choo, Y.-M.
Oraedu, A.C.I. See Eteshola, E.
Orthoefer, F. See List, G.R.
Osanai, S., T. Konishi, and S. Yoshikawa. Synthesis and Aggregation Behavior of an Amphiphilic Cobalt (III) Complex That Coordinates Higher Diacylglyceryldiamine Ligands, 97
Osman, M., Y. Ishigami, J. Someya, and H.B. Jensen. The Bioconversion of Ethanol to Biosurfactants and Dye by a Novel Coproduction Technique, 851
Ota, T. See Ando, Y.
Otero, C. See Arcos, J.A.
Özgul Yücel, S. See Kıldıran, G.

P

Pacheco, F. See Wesley, I.J.
Pakarinen, D.R. See Wan, P.J.
Pang, J. See Jiang, Y.-L.
Paquot, M. See Razafindralambo, H.
Parish, E.J. See Li, S.
Park, J. See Chung, H.-Y.
Park, P.W., F. Guardiola, S.H. Park, and P.B. Addis. Kinetic Evaluation of 3β-Hydroxycholest-5-en-7-one (7-ketocholesterol) Stability During Saponification, 623
Park, S.H. See Park, P.W.
Parkin, K.L. See Kuo, S.-J.
Parkinson, J.K. See O'Lenick, A.J., Jr.
Parra, J.L. See Coderch, L.
See de la Maza, A.
See Lopez, O.
Pasha, M.K. See Lie Ken Jie, M.S.F.
Patel, R.N., A. Banerjee, and L.J. Szarka. Biocatalytic Synthesis of Some Chiral Pharmaceutical Intermediates by Lipases, 1363
Patumi, M. See Sacchi, R.
Pelletier, G. See Ratnayake, W.M.N.
Perez, L. See Leal, J.S.
Perkins, E.G. See Mossoba, M.M.
Perretti, G. See Baldioli, M.
Peschar, R. See van Malssen, K.
Peters, J.A. See Verraest, D.L.
Petersen, G. See Madsen, T.
Piazza, G.J., T.A. Foglia, and A. Nuñez. Soybean Lipoxygenase-Promoted Oxidation of Free and Esterified Linoleic Acid in the Presence of Deoxycholate, 1045
Picuric-Jovanovic, K. See Milovanovic, M.

Pinazo, A., and X. Domingo. Turbidimetric Anaiysis of Amine Oxides and Amine Oxide-Anionic Surfactant Mixtures, 143
See Coderch, L.
Popineau, Y. See Razafindralambo, H.
Pozzi, N. See Marsilio, V.
Prasad, N.B.L., and G. Azeemoddin. Seed Oils of *Acacia holosericea* A. Cunn. ex G. Don.: Characteristics and Composition, 803
Prazeres, D.M.F. See Morgado, M.A.P.
Prieto, N.E., W. Lilienthal, and P.L. Tortorici. Correlation Between Spray Cleaning Detergency and Dynamic Surface Tension of Nonionic Surfactants, 9
Proctor, A., and J.F. Toro-Vazquez. The Freundlich Isotherm in Studying Adsorption in Oil Processing, 1627
Lipid Adsorption on Commercial Silica Hydrogels from Hexane and Changes in Triglyceride Complexes with Time, 693
Ambient-Temperature Extraction of Rice Bran Oil with Hexane and Isopropanol, 811
Soy Hull Carbon as an Adsorbent of Minor Crude Soy Oil Components, 527
Pryce-Jones, R.H., G.M. Eccleston, B.B. Abu-Bakar, and K.M. Grant. *N,N'*-Ethylenediyl-*Bis*-Alkanamides: Differential Scanning Calorimetry Studies, 311
Przybylski, R. See Liu, H.
See Malcolmson, L.J.
Purcell, D.L., B.T. McClure, J. McDonald, and H.N. Basu. Transient Testing of Soy Methyl Ester Fuels in an Indirect Injection, Compression Ignition Engine, 381
Putnam, D.H. See Budin, J.T.

Q

Quinn, L.A., and H.H. Tang. Antioxidant Properties of Phenolic Compounds in Macadamia Nuts, 1585

R

Rader, J.I. See Ali, L.H.
Rajagopalan, N. See Raman, L.P.
Raman, L.P., M. Cheryan, and N. Rajagopalan. Deacidification of Soybean Oil by Membrane Technology, 219
Ramaswamy, H.R. See Dubois, J.
Ranalli, A., and F. Angerosa. Integral Centrifuges for Olive Oil Extraction. The Qualitative Characteristics of Products, 417
Rappaz, M. See Rousset, Ph.
Ratledge, C. See Kendrick, A.
Ratnayake, W.M.N., and G. Pelletier. Methyl Esters from a Partially Hydrogenated Vegetable Oil Is a Better Infrared External Standard Than Methyl Elaidate for the Measurement of Total *trans* Content, 1165
See Chardigny, J.-M.
Rauf, A. See Al-Rashood, K.A.
Ray, S., and D.K. Bhattacharyya. Comparative Nutritional Quality of Palmstearin—Liquid Oil Blends and Hydrogenated Fat (Vanaspati), 617
Razafindralambo, H., M. Paquot, A. Baniel, Y. Popineau, C. Hbid, P. Jacques, and P. Thonart. Foaming Properties of Surfactin, a Lipopeptide Biosurfactant from *Bacillus subtilis*, 149
Regenstein, J.M. See Chapman, K.W.
Reilly, P.J. See Johansen, S.L.
See Sivasothy, A.
Remorova, A.A. See Roginsky, V.A.
Rempe, M.L. See Noureddini, H.
Rennick, K.A. See Mounts, T.L.
Rhee, K.C. See Kalapathy, U.
See Kwon, K.S.
Ribosa, I. See García, M.T.
See Leal, J.S.
Richard, H. See Cuvelier, M.-E.
Richheimer, S.L., M.W. Bernart, G.A. King, M.C. Kent, and D.T. Bailey. Antioxidant Activity of Lipid-Soluble Phenolic Diterpenes from Rosemary, 507
Rincón, J. See García, A.
Rintamäki, A. See Suutari, M.
Rizvi, S.S.H. See Ooi, C.K.
Roach, J.A.G. See Mossoba, M.M.
Robertson, G. See Hierro, M.T.G.
Robles Medina, A. See Cartens, M.
Roginsky, V.A., T.K. Barsukova, A.A. Remorova, and W. Bors. Moderate Antioxidative Efficiencies of Flavonoids During Peroxidation of Methyl Linoleate in Homogeneous and Micellar Solutions, 777
Rooney, M.L. See Maloba, F.W.
Rosen, M.J., and L. Liu. Surface Activity and Premicellar Aggregation of Some Novel Diquaternary Gemini Surfactants, 885
Rossi, E. See Sacchi, R.
Rothfus, J.A. See Chang, S.P.
Rousseau, D., K. Forestière, A.R. Hill, and A.G. Marangoni. Restructuring Butterfat Through Blending and Chemical Interesterification. 1. Melting Behavior and Triacylglycerol Modifications, 963
Restructuring Butterfat Through Blending and Chemical Interesterification. 2. Microstructure and Polymorphism, 973
Restructuring Butterfat Through Blending and Chemical Interesterification. 3. Rheology, 983
See Marangoni, A.G.
Rousset, Ph., and M. Rappaz. Crystallization Kinetics of the Pure Triacylglycerols Glycerol-1,3-Dipalmitate-2-Oleate, Glycerol-1-Palmitate-2-Oleate-3-Stearate, and Glycerol-1,3-Distearate-2-Oleate, 1051
Rufeng, Y. See Guobin, H.
Ruiz-Méndez, M.V. , G. Márquez-Ruiz, and M.C. Dobarganes. Comparative Performance of Steam and Nitrogen as Stripping Gas in Physical Refining of Edible Oils, 1641
Ruiz-Sala, P., M.T.G. Hierro, I. Martínez-Castro, and G. Santa-María. Triglyceride Composition of Ewe, Cow, and Goat Milk Fat, 283
Rüsch gen. Klaas, M. See Klaas, M.R.
Ryland, D. See Malcolmson, L.J.
Ryu, S.B., L. Zheng, and X. Wang. Changes in Phospholipase D Expression in Soybeans During Seed Development and Germination, 1171

S

Sacchi, R., M. Patumi, G. Fontanazza, P. Barone, P. Fiordiponti, L. Mannina, E. Rossi, and A.L. Segre. A High-Field ^{1}H Nuclear Magnetic Resonance Study of the Minor Components in Virgin Olive Oils, 747
Sagi, I. See Chapman, K.W.
Saito, M. See Choo, Y.M.
Šajbidor, J. See Čertík, M.
Sakamoto, M. See Watanabe, S.
Sánchez Leal, J. See García, M.T.
Sanchez Leal, J. See Leal, J.S.
Sangün, M.K. See Türkay, S.
Sanhueza, J. See Méndez, E.
Santa-María, G. See Ruiz-Sala, P.
Sarney, D.B., M.J. Barnard, D.A. MacManus, and E.N. Vulfson. Application of Lipases to the Regioselective Synthesis of Sucrose Fatty Acid Monoesters, 1481
Şaşmaz, D.A. Evaluation of the Diffusion Coefficient of Rapeseed Oil During Solvent Extraction with Hexane, 669
Sato, K. See Arishima, T.
Sato, K. See Minato, A.
Sato, T. See Ishii, K.
Sayre, R.N. See Kahlon, T.S.
Schenk, H. See van Malssen, K.

Schmit, P.L. See Balazs, P.E.
Schneider, M. See Waldinger, C.
Schuchardt, U. See Mandelli, D.
Schulte, E. See Ferrari, R.Ap.
Scott, K.M. See Haas, M.J.
Sébédio, J.-L. See Chardigny, J.-M.
Sedman, J. See Dubois, J.
Sedman, J. See van de Voort, F.R.
Segre, A.L. See Sacchi, R.
Seguer, J., C. Selve, M. Allouch, and M[a] R. Infante. Nonionic Amphiphilic Compounds from Lysine as Molecular Mimics of Lecithins, 79
Seierø, C. See Madsen, T.
Selve, C. See Seguer, J.
Sengupta, R., and D.K. Bhattacharyya. Enzymatic Extraction of Mustard Seed and Rice Bran, 687
Servili, M. See Baldioli, M.
Sessa, D.J., T.C. Nelsen, R. Kleiman, and J.D. Arquette. Differential Scanning Calorimetry Index for Estimating Level of Saturation in Transesterified Wax Esters, 271
Seto, H. See Minato, A.
Shahidi, F., and R. Amarowicz. Antioxidant Activity of Protein Hydrolyzates from Aquatic Species, 1197
See Wanasundara, U.N.
Shani, A. See Binman, S.
Sharma, R.K. See Babu, S.
Shen, B.Y. See Hua, Y.F.
Shen, G. See Wan, Y.
Shen, N., W. Fehr, L. Johnson, and P. White. Oxidative Stabilities of Soybean Oils That Lack Lipoxygenases, 1327
Shenhar, A. See Berezin, O.Y.
See Tur'yan, Ya.I.
Shibamoto, T. See Ogata, J.
Shieh, C.-J., C.C. Akoh, and P.E. Koehler. Formation and Optimization of Sucrose Polyester Physical Properties by Mixture Response Surface Methodology, 455
Shimada, Y., A. Sugihara, H. Nakano, T. Yokota, T. Nagao, S. Komemushi, and Y. Tominaga. Production of Structured Lipids Containing Essential Fatty Acids by Immobilized *Rhizopus delemar* Lipase, 1415
Shin, T.-S. See Hu, W.
Shockley, M.W. See Dunn, R.O.
Shukla, R.K. See Mehrotra, K.N.
Sidi, H. See Boocock, D.G.B.
Sih, J.C. Application of Immobilized Lipase in Production of Camptosar (CPT-11), 1377
Simon, J.E. See Angers, P.
Simoneau, C., and J.B. German. Contribution of Triglycerides from Cocoa Butter to the Physical Properties of Milkfat Fractions, 955
Sineiro, J., H. Domínguez, M.J. Núñez, and J.M. Lema. Ethanol Extraction of Polyphenols in an Immersion Extractor. Effect of Pulsing Flow, 1121
Sirkecioglu, A. See Guner, F.S.
Sivasothy, A., and P.J. Reilly. Low-Molecular Weight Organic Composition of Acid Water from Coconut Oil Soapstock, 1305
See Johansen, S.L.
Sjöström, M. See Lindgren, Å.
Skovly, J., E. Lundanes, and T. Greibrokk. Determination of the Identity of By-Products in the Industrial Production of Saturated Fatty Acids, 1297
Someya, J. See Osman, M.
Song, H.N. See Kwon, D.Y.
Sonnet, P.E., and T.A. Foglia. Epoxidation of Natural Triglycerides with Ethylmethyldioxirane, 461
Sosada, M. Studies on Stability of Rapeseed Wet Gum as a Source of Pharmaceutical Lecithin, 367
Speisky, H. See Méndez, E.
Spiers, J.M. See Chang, M.-K.
Spitzer, V. The Mass Spectra of the 4,4-Dimethyloxazoline Derivatives of Some Conjugated Hydroxy Ene-yne C_{17} and C_{18} Fatty Acids, 489
The Seed Oil of *Bernardia pulchella* (Euphorbiaceae)—A Rich Source of Vernolic Acid, 1733
Identification of α-Parinaric Acid in the Seed Oil of *Sebastiana brasiliensis* Sprengel (Euphorbiaceae), 569
Stauffer, C.E. See Chapman, K.W.
Stebe, M.-J. See Allouch, M.
Stefenov, K.L. See Lie Ken Jie, M.S.F.
Sudershan, R.V. See Babu, S.
Sugihara, A. See Shimada, Y.
Sugimoto, K. See Arishima, T.
Suhardiyono, see Che Man, Y.B.
Suling, Y. See Guobin, H.
Suutari, M., A. Rintamäki, and S. Laakso. The Effect of Temperature on Lipid Classes and Their Fatty Acid Profiles in *Lipomyces starkeyi*, 1071
Szajer, G. See Mozayeni, F.
Szarka, L.J. See Patel, R.N.
Szuhaj, B.F. See Balazs, P.E.
Szymanowski, J. See Hreczuch, W.

T

Tagaki, W. See Koide, M.
Takahashi, E. See Kitayama, Y.
Takahashi, M. See Kitayama, M.
See Koide, M.
Takaishi, N. See Urata
Talens, F.I., J.M. Gutiérrez, and C. Mans. An Improved Falling-Film Reactor for Viscous Liquids, 857
Tamagaki, S. See Koide, M.
Tan, D.D.H. See Choo, Y.-M.
Tanaka, S. See Nakahara, T.
Tang, H.H. See Quinn, L.A.
Tang, T.S. See Idris, N.A.
Tano-Debrah, K., Y. Yoshimura, and Y. Ohta. Enzyme-Assisted Extraction of Shea Fat: Evidence from Light Microscopy on the Degradative Effects of Enzyme Treatment on Cells of Shea Kernel Meal, 449
Tasioula-Margari, M., G. Márquez-Ruíz, and M.C. Dobarganes. Fractionation of Oligomeric Triacylglycerides and the Relation to Rejection Limits for Used Frying Oils, 1579
Temelli, F., J.W. King, and G.R. List. Conversion of Oils to Monoglycerides by Glycerolysis in Supercritical Carbon Dioxide Media, 699
Thonart, P. See Razafindralambo, H.
Toba, M. See Ishii, K.
Tomberg, W. See Spitzer, V.
Tominaga, Y. See Shimada, Y.
Toro-Vazquez, J.F., and A. Gallegos-Infante. Viscosity and Its Relationship to Crystallization in a Binary System of Saturated Triacylglycerides and Sesame Seed Oil, 1237
See Proctor, A.
Tørsløv, J. See Madsen, T.
Tortorici, P.L. See Prieto, N.E.
Trani, M. See Ducret, A.
Tsevegsüren, N., and K. Aitzetmüller. γ-Linolenic and Stearidonic Acids in Mongolian Boraginaceae, 1681
Tsvetnenko, E., S. Kailis, L. Evans, and R. Longmore. Fatty Acid Composition of Lipids from the Contents of Rock Lobster (*Panulirus cygnus*) Cephalothorax, 259
Tuan, D.Q. See Ooi, C.K.
Tubaro, F., E. Micossi, and F. Ursini. The Antioxidant Capacity of Complex Mixtures by Kinetic Analysis of Crocin bleaching Inhibition, 173
Türkay, S., M.D. Burford, M.K. Sangün, E. Ekinci, K.D. Bartle, and A.A. Clifford. Deacidification of Black Cumin Seed Oil by Selective Supercritical Carbon Dioxide Extraction, 1265
See Kildiran, G.
Tur'yan, Ya.I., O.Yu. Berezin, I. Kuselman, and A. Shenhar. pH-Metric Determination of Acid Values in Vegetable Oils Without Titration, 295

See Berezin, O.Y.
Tyagi, V.K., and A.K. Vasishtha. Changes in the Characteristics and Composition of Oils During Deep-Fat Frying, 499

U

Ueno, S. See Minato, A.
Urata, K., and N. Takaishi. Applications of Phase-Transfer Catalytic Reactions to Fatty Acids and Their Derivatives: Present State and Future Potential, 831
Ether Lipids Based on the Glyceryl Ether Skeleton: Present State, Future Potential, 819
Ursini, F. See Tubaro, F.
Ushijima, H. See Ishii, K.
Üstün, G. Separation of Fatty Acid Methyl Esters from Tall Oil by Selective Adsorption, 203
Oil Content and Fatty Acid Composition of Commercially Important Turkish Fish Species, 389

V

Vadhwa, O.P. See Chang, M.-K.
Vaisey-Genser, M. See Malcolmson, L.J.
Valenzuela, A. See Méndez, E.
van Bekkum, H. See Verraest, D.L.
van de Voort, F.R., K.P. Memon, J. Sedman, and A.A. Ismail. Determination of Solid Fat Index by Fourier Transform Infrared Spectroscopy, 411
See Dubois, J.
Van Gerpen, J.H. See Chang, D.Y.Z.
van Malssen, K., R. Peschar, C. Brito, and H. Schenk. Real-Time X-Ray Powder Diffraction Investigations on Cocoa Butter. III. Direct β-Crystallization of Cocoa Butter: Occurrence of a Memory Effect, 1225
Real-Time X-Ray Powder Diffraction Investigations on Cocoa Butter. I. Temperature-Dependent Crystallization Behavior, 1209
Real-Time X-Ray Powder Diffraction Investigations on Cocoa Butter. II., The Relationship Between Melting Behavior and Composition of β-Cocoa Butter, 1217
van Oosten, H.J. See Duchateau, G.S.M.J.E.
van Rooijen, G.J.H. See Kühnel, B.
van Rosmalen, G.M. See Verraest, D.L.
van't Riet, K. See Boswinkel, G.
Vasconcellos, M.A. See Duchateau, G.S.M.J.E.
Vasishtha, A.K. See Tyagi, V.K.
Verraest, D.L., J.A. Peters, H. van Bekkum, and G.M. van Rosmalen. Carboxymethyl Inulin: A New Inhibitor for Calcium Carbonate Precipitation, 55
Vlahov, G. Improved Quantitative ^{13}C Nuclear Magnetic Resonance Criteria for Determination of Grades of Virgin Olive Oils. The Normal Ranges for Diglycerides in Olive Oil, 1201
Vosmann, K. See Spitzer, V.
Vrbaski, Z. See Milovanovic, M.
Vucelic-Radovic, B. See Milovanovic, M.
Vulfson, E.N. See Sarney, D.B.

W

Wagner, F. See Lokotsch, W.
Waldinger, C., and M. Schneider. Enzymatic Esterification of Glycerol III. Lipase-Catalyzed Synthesis of Regioisomerically Pure 1,3-*sn*-Diacylglycerols and 1(3)-*rac*-Monoacylglycerols Derived from Unsaturated Fatty Acids, 1513
Walters, M. See Mozayeni, F.
Wan, H. See Coupland, J.N.
Wan, P.J., D.R. Pakarinen, and R.J. Hron, Sr. Miscella Refining Test Method for the Determination of Cottonseed Oil Color, 815
See Chang, M.-K.
Wan, Y., Q. Xue, L. Cao, and G. Shen. Preparation and Performance of Novel Lubricating Oil Additives Derived from 2-Mercaptobenzothiazole, 1205
Wanasundara, U.N., and F. Shahidi. Stabilization of Seal Blubber and Menhaden Oils with Green Tea Catechins, 1183
Wang, J. See Chen, Z.Y.
Wang, X. See Ryu, S.B.
Wang, Z.H. See Minato, A.
Warner, C.R. See Yasaei, P.M.
Warner, K., and T. Nelsen. AOCS Collaborative Study on Sensory and Volatile Compound Analyses of Vegetable Oils, 157
Warwel, S. See Klaas, M.R.
Watanabe, S., H. Nakagawa, Y. Ohmori, T. Fujita, M. Sakamoto, and T. Haga. Characteristic Properties of Cutting Fluid Additives Derived from Half Esters of Dimer Acids, 807
Weaver, C.M. See Ali, L.H.
Wr[illegible]S. See Che Man, Y.B.
Wells, J.H. See Hu, W.
Wen, L. See Huang, J.-K.
Werman, M.J., S. Mokady, and I. Neeman. A Simple and Sensitive Method for Detecting Avocado Seed Oil in Various Avocado Oils, 665
Wesley, I.J., F. Pacheco, and A.E.J. McGill. Identification of Adulterants in Olive Oils, 515
White, P. See Shen, N.
Windhab, E.J. See Breitschuh, B.
Wisniak, J. See Apelblat, A.
Wold, S. See Lindgren, Å.
Wolff, R.L., L.G. Deluc, and A.M. Marpeau. Conifer Seeds: Oil Content and Fatty Acid Composition, 765
Participation of the *cis*-12 Ethylenic Bond to *cis-trans* Isomerization of the *cis*-9 and *cis*-15 Ethylenic Bonds in Heated α-Linolenic Acid, 327
See Bayard, C.C.
See Berdeaux, O.
See Chardigny, J.-M.
See Gresti, J.
See Gunstone, F.D.
Wong, R. See Guo, R.
Wormell, P. See Maloba, F.W.

X

Xia, J., X. Chen, and I.A. Nnanna. Activity and Stability of *Penicillium cyclopium* Lipase in Surfactant and Detergent Solutions, 115
Xue, Q. See Wan, Y.

Y

Yaguchi, T. See Nakahara, T.
Yahaya, H. See Choo, Y.M.
Yamada, K., and S. Matsutani. Analysis of the Dark-Colored Impurities in Sulfonated Fatty Acid Methyl Ester, 121
Yamauchi, Y. See Choo, Y.M.
Yang, G.C. See Yasaei, P.M.
Yano, J. See Minato, A.
Yap, S.-C. See Choo, Y.-M.
Yasaei, P.M., G.C. Yang, C.R. Warner, D.H. Daniels, and Y. Ku. Singlet Oxygen Oxidation of Lipids Resulting from Photochemical Sensitizers in the Presence of Antioxidants, 1177

Yazawa, K. See Ando, Y.
Yee, L.N. and C.C. Akoh. Enzymatic Synthesis of Geranyl Acetate by Transesterification with Acetic Anhydride as Acyl Donor, 1379
Yella Reddy, S., N. Full, P.S. Dimick, and G.R. Ziegler. Tempering Method for Chocolate Containing Milk-Fat Fractions, 723
See Dimick, P.S.
Yener, M.S. See Ooi, C.K.
Yokochi, T. See Nakahara, T.
Yokota, T. See Shimada, Y.
Yoon, S.H. See Kwon, D.Y.
Yoshikawa, S. See Osanai, S.
Yoshimura, Y. See Tano-Debrah, K.
Yuan, Y.-C. See Jiang, Y.-L.
Yue, C., J.M. Harris, P.-E. Hellberg, and K. Bergstrom. Synthesis and Characterization of Cleavable Surfactants Derived from Poly(ethylene glycol) Monomethyl Ether, 841
Yurawecz, M.P. See Mossoba, M.M.
Yılmaz, S. See Guner, F.S.

Z

Zaharoskin, T. See Apelblat, A.
Zaizi, D., S. Hamdan, K. Dzulkefly, K. Anuar, B.H.A. Faujan, and C.R. Laili. Malaysian Red Palm Oil in a Surfactant Association Structure, 153
Zheng, D. See Hanna, M.A.
Zheng, L. See Ryu, S.B.
Zhou, S., and R.G. Ackman. Interference of Polar Lipids with the Alkalimetric Determination of Free Fatty Acid in Fish Lipids, 1019
Zhu, Z. See Coupland, J.N.
Ziegler, G.R. See Yella Reddy, S.
Ziegler, G.R. See Dimick, P.S.
Zucolotto, M. See Spitzer, V.
Zuyu, L. See Guobin, H.